

# CALFIRE

**CALFIRE**

- Major UK Wholesaler of  
Fireside Accessories, Service  
& Maintenance Products

 **Caframo**<sup>®</sup>

- Official UK Distributors  
for the Caframo Ecofan



**Stove Bright**<sup>®</sup> - Official UK Distributors  
for Stove Bright HT Paint

**SCHOTT ROBAX**<sup>®</sup> - Major UK Supplier of  
Schott Robax Stove Glass

*Fireside  
Accessories*

Trading  
since  
1995

*The  
Fireside  
Collection*



# CALFIRE The Fireside Collection



**Companion Sets:** An extensive range in Black; Brass; Antique & Pewter finishes incorporating many sizes & styles.




**Fireside Accessories:** A range of Bellows; Hearth Tidies; Match Holders; Tongs; Shovels; Brush Refills & Individual Tools.



**Fire Screens:** A comprehensive range of British & Imported Fire Screens in Black; Brass; Antique & Pewter finishes. All British screens can be made to measure.



**Coal Buckets:** A selection of Coal Buckets; Hods; Log Baskets; Log Carriers & Kindling Holders in materials and finishes to compliment our other ranges.



**Castings:** An exquisite range of Fire Backs; Reeded Panels; Fire Dogs; Grates; Fire Baskets; Solid Fuel Frets & All Night Burners.



**Frets:** A selection of Gas & Electric Fire Frets offered in a wide range of sizes, colours and styles. Black Cast Iron Frets from these pages are also suitable for use with Solid Fuel Appliances.



**Fenders:** Offering both Club and Hearth Fenders this range includes many styles & finishes. We offer a bespoke service where all British Fenders are available to order with your specified width and depth dimensions.



**Ecofans®:** Calfire are the Official UK Distributor for the Caframo Ecofan. Designed and Assembled in Canada by the leading authority in Stove Fans the manufacturer offers the most effective and efficient range available anywhere in the world.



**StoveBright® HT Paint:** Calfire are the Official UK Distributor for Forrester Paint's StoveBright, an extremely high temp paint that is the specified finish of many of the world's leading wood-stove manufacturers.



**Stove Glass:** Including the finest quality Robax zero thermal expansion rated ceramic glass Panels, borofloat sheet Strips and Mica. This comprehensive range is offered in many standard sizes as well as a bespoke 'cut to size' service.



**Service & Installation:** Glass Hearths; Vermiculite Boards; Cowls; Vents; Flue Brushes & Rods; Smoke Products; Moisture Meters; Stove Thermometers; CO Alarms; Ash Filters & many more products are all included here.



**Cleaning & Restoration:** Products from Peek; Hotspot and Schott Robax add to our own Calfire range of cleaning and restoration products.

CALFIRE supply to trade accounts all over the Country, however members of the public are welcome to browse through this catalogue or visit the companies website at [www.calfire.com](http://www.calfire.com). Contact with the company can be made through an email facility where product information or details of local stockists can be ascertained.

Alternatively contact your stockist or telephone our friendly staff on **01691 772922**

Please note that specified finishes such as Brass, Antique, Chrome, Pewter, Copper, Copper Bronze & Steel relate to the colour only and not the material.



Throughout pages 3-71 of this catalogue, British Manufactured items are clearly indicated with the union flag for your information.

Due to studio lighting and printing inks, the colours shown in this catalogue may differ slightly from those of the actual products. Any dimensions or weights given are approximate and should only be used as a guide. Key to dimensions: H=Height; D=Depth; W=Width; L=Length. Calfire's aim is one of constant improvement and the company reserves the right to change specifications without written notice. Reproduction of the photographs in this catalogue is prohibited without the prior written permission from Calfire Ltd.



## PREMIER COMPANION SETS

*superb quality and great value for money!*

### Vintage

27139  
All Black  
H 700 (27.5")



### Craftsman

27140  
All Black  
H 760 (30")



*Specified finishes  
relate to colour only  
and not material.*

### Diamond

27143  
All Black  
H 760 (30")



*The Diamond Fireset matches the  
Diamond firescreens shown on page 17.*


### Iron Gate

27145  
All Black  
H 735 (29")



*The Iron Gate Fireset matches the  
Iron Gate firescreen shown on page 17*

*Basket*



27057  
All Black  
H 410 (16")

*Regency*



27078  
All Black  
H 470 (18")

*Modern  
Ball*



27064  
All Black  
H 465 (18")

*Open  
Twist*



27048  
All Black  
H 515 (20")

*Specified finishes relate to colour only and not material.*

*Burlton*



27149  
All Black  
H 510 (20")

*Cast*



27018  
All Black  
H 520 (20.5")

*Wood  
Stove*



27142  
All Black  
H 535 (21")

*Pony*



27125  
All Black  
H 520 (21")



*Modern  
Round*



27092  
All Black  
H 580 (23")

*Petton*



27137  
All Black  
H 605 (24")

*Ercall*



27097  
All Black  
H 610 (24")

*Rushton*



27054  
All Black  
H 635 (25")

*Specified finishes relate to colour only and not material.*

*Tilley*



27135  
All Black  
H 665 (26")

*Rope Twist*



Supplied with Log & Coal Tongs with Poker in centre.

27041  
All Black  
H 650 (26")

*Malmo*



See matching Log Holder on Page 39

27146  
All Black  
H 665 (26")

*Cage*



27104  
All Black  
Height 685 (27")

## Basic



The Basic Fireset is part of a set of 'basic' products that are available. Also see the 'basic' firescreen on page 18 and the 'basic' log carrier on page 38.

27138  
All Black  
H 700 (27.5")

## Shepherds Crook



27144  
All Black  
H 710 (28")

## Weston



27141  
All Black  
H 710 (28")

## Knight



27120  
Silver Black  
H 740 (29")

*Specified finishes relate to colour only and not material.*

## Fleur-de-lys



27106  
Brushed Steel  
H 520 (20.5")



27105  
All Black  
H 520 (20.5")

## Forged



27147  
All Black  
H 485 (19")



27148  
Antique Pewter  
H 485 (19")

See matching log racks on page 40.



## Loop Top - Height 630 (25")



27023  
All Black

27008  
Black & Chrome

27101  
Black & Pewter

27127  
All Pewter


27077  
Black & Antique

27006  
All Antique

27013  
Black & Brass

*Specified finishes relate to colour only and not material.*

## Gallery - Height 590 (23")



27019  
All Black

27102  
Black & Pewter

27005  
Black & Antique

27010  
Black & Brass

## Duchess

Heights 400 & 480 (16 & 19")



27085 16"  
27086 19"

Black & Solid Brass



27123 16"  
27124 19"

Black & Antique Brass EP



27118 16"  
27119 19"

Black & Pewter



27043 16"  
27045 19"

All Black

*Specified finishes relate to colour only and not material.*

## Ball Top

Height 590 (23")



27112  
Black & Pewter



27128  
All Pewter



27111- Black & Brass

8



27113  
Black & Antique



27094  
All Black



## Traditional Top - Round Base Height 406 (16")



27114  
Black & Brass



27116  
Black & Antique



27115  
Black & Pewter



27095  
All Black

*Specified finishes relate to colour only and not material.*

## Traditional Top Round Base - Height 570 (22.5")



27108  
All Black

## Traditional Top 3 Legged Base - Height 600 (24")



27088  
All Black



27096  
All Pewter

### Acorn - Height 540 (21")



27017  
All Black

27117  
Black &  
Pewter

27031  
Black &  
Brass

27030  
Black &  
Antique

### Spiral - Height 610 (24")



27020  
All Black

27129  
Black &  
Pewter

27011  
Black &  
Brass

*Specified finishes relate to colour only and not material.*

### Pyramid - Height 660 (26")



27133  
All Pewter

27132  
All Black

### Hordley - Height 605 (24")



27131  
All Pewter

27130  
All Black



## Bellows



Made from Sheesham Wood, Leather & Solid Brass.  
Sheesham is a heavy hardwood with a rich chestnut colour.

**29069**  
Carved Hardwood Bellows  
Length 470 (18.5")

**29080**  
Plain Hardwood Bellows  
Length 355 (14")

**29015**  
Fleur-de-lys Hardwood Bellows  
Length 470 (18.5")



*Ornamental use only*

**29012**  
Oak Effect  
Length 380 (15")



*Ornamental use only*

**29016**  
Wood  
Length 420 (16")

## Hearth Tidies



Length 340 (13")

**29019**  
Black  
Large Ball

*Specified finishes  
relate to colour only  
and not material.*



Length 380 (15")

**29066**  
Black  
Traditional

**29075**  
Black &  
Brass



Length 300 (12")

**29003**  
Black  
Cast

**29064**  
Black &  
Brass Cast

**29081**  
Black &  
Pewter Cast



Height 430 (17")

**29094**  
Black  
Hanging



Length 380 (15")

**29071**  
Black  
Loop

**29072**  
Black &  
Brass Loop

**29082**  
Black &  
Pewter Loop



# CALFIRE Fireside Accessories

## Match Holders & Matches



90 matches per box

29005

Long Matches L280 (11")



Holder H200 (8")  
[Excluding Matches]



29055  
All Black



29004  
Brass & Copper



29077  
Satin & Polished Steel

## Printed Match & Fire Lighter Holders

Size H130xW80xD40 (5x3x1.5")



See page 36 for additional items in this 'printed' range

29090  
Ivory Printed  
Match Box Holder

29091  
Black Printed  
Match Box Holder

Size H205xW80xD40 (8x3x1.5")



See page 36 for additional items in this 'printed' range

29092  
Ivory Printed  
Fire Lighter Holder

29093  
Black Printed  
Fire Lighter Holder


## Shovels



**29048**  
Large Shovel  
Length 350 (14")



**29050**  
Small Shovel  
Length 305 (12")



A. 28040 6" Steel Shovel  
B. 28039 5" Steel Shovel  
C. 28038 4" Steel Shovel




D. 28042 9x7" Shovel  
E. 28043 10x8" Shovel

**28044**  
10x8" Galv Shovel


## Individual Tools

### A5 Poker



28045 - L560 (22")

### A5 Collins Tongs



28046 - L585 (23")  
28047 - L825 (32.5")

### A7 Toasting Fork




28050 - L445 (17.5")

### A8 Log Roller



28052 - L630 (24.75")

### A9R log Roller



28055 - L770 (30")  
28056 - L1065 (42")

## Brush Refills



**28031** Round Brush  
(British) 50mm Ø

**29070** - 50mm Ø  
Round Brush (Chinese)  
**29046** - 46mm Ø  
Round Brush (Indian)  
**29056** - 40mm Ø  
Small Round Brush  
(Indian 16" Companion Sets)



**29009**  
Oblong Brush  
100x28mm



**29079**  
Straw  
Brush  
(Chinese)

## Coal & Log Tongs



**29008** - Black Cast Coal Tongs  
Size L350mm (14")



**29060** - Solid Brass Coal Tongs  
Size L265mm (10")



**29062** - Black Coal Tongs  
Size L265mm (10")



**29063**  
Black Log  
Tongs Size  
L390mm  
(15")




## Individual Tools

## Ring Top Tools - Length 450 (18")

### Hangers



A 29054 4 Position L265(10")  
B 29053 3 Position L220(9")  
C 29052 2 Position L160(6")



Toasting Fork recommended only for Ornamental use.

29083 Toasting Fork  
29084 Coal Tongs  
29085 Shovel  
29086 Brush  
29087 Log Roller  
29088 Poker

## Loop Top Tools - Length 450 (18")



Toasting Fork and Roaster recommended only for Ornamental use.

29030 Toasting Fork  
29031 Coal Tongs  
29032 Log Tongs  
29033 Shovel  
29034 Brush  
29035 Log Roller  
29036 Poker  
29037 Roaster  
29089 Ash Scraper


## Rope Twist Tools - Length 450 (18")



Toasting Fork and Roaster recommended only for Ornamental use.

29038 Toasting Fork  
29039 Coal Tongs  
29040 Log Tongs  
29041 Shovel  
29042 Brush  
29043 Log Roller  
29044 Poker  
29045 Roaster

## Pokers & Poker Sets



29067

Poker & Ash Scraper Set. L610 (24"); Black



29065

Black Victorian Poker L 700 (28")



29021

Black Poker & Stand H 580 (23")



29076

Sets of 5 various Pokers. L760 (30")





## PREMIER IMPORTED FIRE SCREENS

*superb quality and great value for money!*

**CALFIRE**  
The Fireside Collection

### Medallion

Black 21095  
H710 W610 Wings280  
(28x24x11")



### Diamond

Black 21094  
H710 W610 Wings280  
(28x24x11")



See details of  
matching companion  
set 27143 on  
page 3.

See details of  
matching companion  
set 27145 on  
page 3.



### Iron Gate


Black 21100  
H710 W760  
(28x30")



## 3 Fold


**CALFIRE**  
The Fireside Collection

### Arched



Black 21098 H635 W530 Wings230 (25x21x9")  
Black 21099 H710 W610 Wings280 (28x24x11")


### Diamond



See matching companion set on page 3.

Black 21094  
H710 W610 Wings280  
(28x24x11")

The Basic Screen featured below is part of a set of 'basic' products that are available. Also see the 'basic' fire set on page 6 and the 'basic' log carrier on page 38.




### Basic



See above pictures of basic fireset and log carrier than compliment this item.

Black 21096 H635 W530 Wings230 (25x21x9")  
Black 21097 H710 W610 Wings280 (28x24x11")

### Medallion



Black 21095  
H710 W610 Wings280  
(28x24x11")



## Black Plain & Decorative Wrought



Black 21049  
H580 W450 Wings210  
(23x18x8")



Black 21050  
H580 W450 Wings210  
(23x18x8")



Black 21059  
H710 W450 Wings210  
(28x18x8")



Black 21060  
H710 W450 Wings210  
(28x18x8")

## Steel Plain & Decorative Wrought



Steel 21061  
H580 W450 Wings210  
(23x18x8")



Steel 21062  
H580 W450 Wings210  
(23x18x8")



Steel 21088  
H710 W450 Wings210  
(28x18x8")



Steel 21089  
H710 W450 Wings210  
(28x18x8")

The design of this range of screens is changing from being manufactured with a 7mm square bar to using 16mm x 8mm box section. Screen supplies will depend on stock availability.

## Bronze Plain & Decorative Wrought



Bronze 21102  
H580 W450 Wings210  
(23x18x8")



Bronze 21101  
H580 W450 Wings210  
(23x18x8")



Bronze 21103  
H710 W450 Wings210  
(28x18x8")

*3 Fold*

**CALFIRE**  
*The Fireside Collection*



*Black*



21030 - H680 W430 Wings210 (26.75x17x8")  
21025 - H720 W610 Wings280 (28.25x24x11")

*Pewter*



21048 - H680 W430 Wings210 (26.75x17x8")  
21078 - H720 W610 Wings280 (28.25x24x11")

*Specified finishes  
relate to colour only  
and not material.*

*Antique*



21024 - H680 W430 Wings210 (26.75x17x8")  
21021 - H720 W610 Wings280 (28.25x24x11")

*Brass*



21015 - H680 W430 Wings210 (26.75x17x8")  
21010 - H720 W610 Wings280 (28.25x24x11")



# CALFIRE

# Fire Screens

## 4 Fold

### CALFIRE

*The Fireside Collection*



### Pewter



21047 - H640 Panels200 (25x8")  
21076 - H710 Panels315 (28x12")  
21077 - H820 Panels315 (32x12")

### Black



21027 - H540 Panels200 (21x8")  
21028 - H640 Panels200 (25x8")  
21029 - H710 Panels315 (28x12")  
21026 - H820 Panels315 (32x12")

***Specified finishes  
relate to colour only  
and not material.***

### Brass



21014 - H640 Panels200 (25x8")  
21012 - H710 Panels315 (28x12")  
21011 - H820 Panels315 (32x12")

### Antique




21022 - H640 Panels200 (25x8")  
21020 - H710 Panels315 (28x12")  
21019 - H820 Panels315 (32x12")

# CALFIRE Fire Screens


## Single Panel

**CALFIRE**  
The Fireside Collection

*Specified finishes relate to colour only and not material.*




### Plain Flat



Black 21092 H610 W660 (24x26")  
Black 21093 H710 W760 (28x30")

### Narrow Curved




Black 21090 H610 W660 D70 (24x26x2.75")  
Black 21091 H710 W760 D95 (28x30x3.75")

### Iron Gate



*See matching companion set on page 3.*

Black 21100  
H710 W760  
(28x30")





## The Noble Collection

### Flat



Alum Trim  
20057  
H610 W610  
(24x24")



Brass Trim  
20056  
H610 W610  
(24x24")



Black  
20055 H610 W610 (24x24")  
20079 H610 W760 (24x30")  
20080 H685 W760 (27x30")  
20081 H760 W915 (30x36")

Not suitable for fixing kit

### Arched Flat



Alum Trim  
20021  
H610 W610  
(24x24")



Brass Trim  
20000  
H610 W610  
(24x24")



Black  
20011 H610 W610 (24x24")  
20082 H610 W760 (24x30")  
20083 H685 W760 (27x30")  
20084 H760 W915 (30x36")

Not suitable for fixing kit



all items  
on this page  
can be made  
to measure

All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.  
Heights given for firescreens exclude handles.

### Flat Fan



Not suitable for fixing kit

Black 20069  
H620 W770  
(24.5x30")

### Flat Sided Bowed



Not suitable for fixing kit

Black 20068  
H610 W795 D185  
(24x31x7.25")

## The Noble Collection

### Wedge



Alum Trim

**20026**  
H610 W585 D150  
(24x23x6")



Brass Trim


**20005**  
H610 W585 D150  
(24x23x6")



Black

**20016**  
H610 W585 D150  
(24x23x6")

Fixing kit 21500 available separately; see page 29 for details.



### Curved



Alum Trim

**20025**  
H610 W585 D75  
(24x23x3")



Brass Trim

**20004**  
H610 W585 D75  
(24x23x3")



Black

**20015**  
H610 W585 D75  
(24x23x3")

Not suitable for fixing kit

All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.  
Heights given for firescreens exclude handles.

### Curved Delux



Brass Trim **20010**  
H610 W585 D75  
(24x23x3")



Alum Trim **20031**  
H610 W585 D75  
(24x23x3")

Not suitable for fixing kit

ALL BRITISH  
MADE ITEMS  
ON THIS  
PAGE



## The Noble Collection

### Box Closed



Alum Trim  
**20028**  
H610 W640 D230  
(24x25x9")



Brass Trim  
**20007**  
H610 W640 D230  
(24x25x9")



Black  
**20018**  
H610 W640 D230  
(24x25x9")

Fixing kit 21500 available separately; see page 29 for details.



### Box Open



Alum Trim  
**20027**  
H610 W640 D230  
(24x25x9")



Brass Trim  
**20006**  
H610 W640 D230  
(24x25x9")



Black  
**20017**  
H610 W640 D230  
(24x25x9")


Fixing kit 21500 available separately; see page 29 for details.

All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.  
Heights given for firescreens exclude handles.

### Sloping Box - H690 W610 D205 (27x24x8")



Black 20061



Brass Trim 20062



Alum Trim 20063

Fixing kit 21500 available separately; see page 29 for details.

## The Noble Collection

### Double Rail Box Open




Black  
20092  
H650 W660 D175  
(25.5x26x7")




Steel Clear  
Lacquer Finish  
20093  
H650 W660 D175  
(25.5x26x7")

### Double Rail Fender Guard



Black  
20094  
H200 W610 D150  
(8x24x6")



Steel Clear  
Lacquer Finish  
20095  
H200 W610 D150  
(8x24x6")



Fixing kit 21500 available separately; see page 29 for details.

Fixing kit 21500 available separately; see page 29 for details.

All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.  
Heights given for firescreens exclude handles.

### Arched Box



Fixing kit 21500 available separately;  
see page 29 for details.

Black 20067  
H715 W585 D155  
(28x23x6")

### Bent Box



Fixing kit 21500 available separately; see page 29 for details.

Black 20090  
H560 W635 D155 (22x25x6")  
Black 20078  
H610 W660 D155 (24x26x6")  
Black 20091  
H760 W760 D155 (30x30x6")



## The Noble Collection



*Winged*

Alum Trim

**20030**  
H610 W610 D200  
(24x24x8")



Brass Trim

**20009**  
H610 W610 D200  
(24x24x8")



Black

**20085**  
H585 W455 D200 (23x18x8")  
**20020**  
H610 W610 D200 (24x24x8")  
**20086**  
H685 W760 D200 (27x30x8")  
**20087**  
H760 W915 D200 (30x36x8")

Fixing kit 21500 available separately; see page 29 for details.



*Bent*

Alum Trim

**20023**  
H610 W660 D155  
(24x26x6")



Brass Trim

**20002**  
H610 W660 D155  
(24x26x6")



Black

**20088**  
H560 W635 D155 (22x25x6")  
**20013**  
H610 W660 D155 (24x26x6")  
**20089**  
H760 W760 D155 (30x30x6")

Fixing kit 21500 available separately; see page 29 for details.

All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.  
Heights given for firescreens exclude handles.

*Arched Bent*



Fixing kit 21500 available separately; see page 29 for details.

Black **20074**  
H660 W660 D130  
(26x26x5")



ALL BRITISH  
MADE ITEMS  
ON THIS  
PAGE

## The Noble Collection



All NOBLE firescreens can be 'made to measure' with your height, width and, if relevant, depth dimensions. Call for details.

Heights given for firescreens exclude handles.

### Crescent

H600 W770 D175 (23.5x30x7")



Steel with Black Mesh 20077



All Black 20076

Fixing kit 21500 available separately; see page 29 for details.

### Bowed Front



All Steel 20075  
H605 W610 D225  
(24x24x9")



Alum Trim 20060  
H605 W610 D225  
(24x24x9")




Brass Trim 20059  
H605 W610 D225  
(24x24x9")



Black 20058  
H605 W610 D225  
(24x24x9")

Black 20096  
H770 W770 D225  
(30x30x9")

Fixing kit 21500 available separately; see page 29 for details.



all items  
on this page  
can be made  
to measure

ALL BRITISH  
MADE ITEMS  
ON THIS  
PAGE



## The Noble Collection

### Laura (screen with tools)



Not suitable for fixing kit.

Black 20044  
H670 W810 D190  
(26x32x7")

Heights given for firescreens exclude handles.

All NOBLE firescreens can be  
'made to measure' with your height,  
width and, if relevant, depth dimensions.  
Call for details.



### Noble Screen Fixing Kit



Kit comprises:  
2 brackets (left and right hand), 2 fixing bolts & nuts,  
2 wall brackets with adhesive pads, 2 wall brackets for drilling,  
4 fixing screws & wall plugs.

Suitable for Noble Screens as shown

21500

**CALFIRE**  
The Fireside Collection

### Heavy Stove Guard

Please note with this guard the depth cannot be greater  
than the width on any made to measure specials.



Fixing kit 21500 available separately;  
see page 29 for details.

Black 20073 H610 W760 D625 (24x30x24.5")

# CALFIRE Fire Screens

## Spark Guards

*Specified finishes  
relate to colour only  
and not material.*

**CALFIRE**  
*The Fireside Collection*

*Bar Sparkguard  
All black*

**NEW  
2018**



21104  
H610 W530 D150  
(24x21x6")

**NEW  
2018**



21105  
H610 W610 D150  
(24x24x6")

*Domed Guard*




Domed Guard  
20051  
H600 W555 D220  
(23.5x22x8.5")



Domed Guard  
20054  
H530 W485 D200  
(21x19x8")

*Sparkguard  
All Black*



21069  
H630 W520 D95  
(25x20.5x4")




21070  
H665 W665 D95  
(26x26x4")



# CALFIRE Fire Screens

## Nursery Guards Extending Nursery



*The Extending Nursery Guard is supplied with a fixing kit.*


20053

Extending Nursery Guard H670 W900/1525 D455 (26x36/60x18")

## Stove Nursery



*The Stove Nursery Guard is supplied with a fixing kit.*



*The manufacturing process was changed in 2014 with the corners being formed and not made from plastic.*


21085

Stove Nursery Guard H750 W1120 D865 (29.5x44x34")

## Bar Nursery



*The Bar Nursery Guard is supplied with a fixing kit.*



*The manufacturing process was changed in 2014 with the corners being formed and not made from plastic.*

21086

Bar Nursery H750 W1400 D480 (29.5x55x19")



## Coal Bucket Sets



*Hadley Set(2) All Black*



23035

Dia. 240-280 (9.5-11")

*Kenley Set(2) All Black*



23015/2

Dia. 270-330 (10.5-13")

*Kenley Set(2) Black & Solid Brass*



23007/2

Dia. 270-330 (10.5-13")

*Kenley Set(2) Antique*



23079/2

Dia. 270-330 (10.5-13")



## Dryton Hod

Height 535 (21")  
Dia 225 (9")

- A - 23014  
Black Dryton Hod
- B - 23033  
Zinc Dryton Hod
- C - 23080  
Antique
- D - 23034  
Copper Bronze Hod



## Norfolk Hod - Height 580 (23")

Dia 225 (9")



Black & Brass  
23073

All Black  
23072

## Bicton Hod - Height 535 (21")

Dia 190 (7.5")



Black & Brass  
22007

Black &  
Brushed Steel  
22112

All Black  
22010

Specified finishes relate to colour only and not material.

## Kenley Medium - Dia. 270 (10.5")



23015M  
All Black

23042M  
Black &  
Chrome

23007M  
Black & Solid Brass

23093M  
Antique  
Pewter

23079M  
Antique





## Adeney Día. 250 (10")

- A - 22106  
All Black
- B - 22108  
Black & Brushed Steel
- C - 22107  
Black & Brass



## Kinton - Día. 230 (9")



22008  
Black & Brass

22105  
Black &  
Brushed Steel

22104  
All Black

## Sutton - Día. 280 (11")



22110  
Black & Brass

22111  
Black &  
Brushed Steel

22109  
All Black

## Plealey Día. 255 (10")



23081  
Antique

23094  
Antique  
Pewter

23050  
All Black



*Stanton*  
Día. 240 (9.5")

23077  
All Black with Shovel



*Nobold*  
Día. 250 (10")



23056  
All Black  
with Shovel

*Lawley*  
Día. 250 (10")



23037  
All Black

*Waterloo*  
Día. 345 (13.5")



23061  
All Black

*Astley*  
380W 205D (15x8")



23016  
All Black

## Kindling Bucket



23133  
Small Ivory  
Printed Kindling Bucket  
Dia.230 (9")

23116  
Large Ivory  
Printed Kindling Bucket  
Dia.300 (12")

23134  
Small Black  
Printed Kindling Bucket  
Dia.230 (9")

23118  
Large Black  
Printed Kindling Bucket  
Dia.300 (12")



## Ash Bucket & Lid

*Measurements  
given for kindling  
& ash buckets  
exclude their  
handles.*



23117  
Ivory Printed Ash Bucket & Lid  
Dia.300 (12")

23119  
Black Printed Ash Bucket & Lid  
Dia.300 (12")

Although visually identical, these ranges of products are generally better quality and heavier than items offered elsewhere



The Printed Ivory range consists of the products shown on this page plus:  
29090 Match Box Holder & 29092 Fire  
Lighter Holder shown on page 13



The Printed Black range consists of the products shown on this page plus:  
29091 Match Box Holder & 29093 Fire  
Lighter Holder shown on page 13



*This existing coal bucket is also ideal for the popular shorter kindling and holds the full retail sales pack.*

**Astley**

23016  
Black  
380W 205D (15x8")



## Kindling Baskets

### CW Kindling Basket

*Will hold just over half of the retail sales pack of the shorter popular kindling*



23101  
H130 W305 D200  
(5x12x8")  
*Excludes handles*

### Round Kindling Basket

*Suitable for all kindling*

23122  
H330 Dia.380  
(13x15")



### Ring



*Suitable for all kindling*

23090  
Black  
H230 W215 D215 (9x8.5x8.5")

### CW Kindling Holder



*Will hold just under half of the retail sales pack of the shorter popular kindling*

23095  
Black  
H180 W220 (7x8.75")

### Marton



*Suitable for kindling of around 250mm long*

23091  
Black  
H240 W215 (9.5x8.5")

## Modern Mesh



23127

Antique Iron H475 W480 D420 (18.5x19x16.5")  
Dimensions given include handles

## Felton



The Felton is supplied flat packed and requires assembly.

Logs not supplied.  
Supplied with Tools

23065

Black H615 W400 D300 (24x16x12")

## Lipley



23130

Black H605 W410 D220 (24x16x8.75")  
Made for standard UK length logs

## Roden



23062 - Black H265 W510 D290 (10x20x11")

## Clive



Logs not supplied

23114

Nylon Log Tote & Stand  
H410 W410 D390 (16x16x15.5")

## Basic



This Basic Log Carrier is part of a set of 'basic products' that are available. Also see the 'Basic' fire set on page 6 and the 'Basic' fire screen on page 18.

23107

Black  
H330 W405 D330 (13x16x13")



## Sling Carrier



23112

Black H405 W710 D240 (16x28x9.5")

## Malmo



Logs not supplied



Matching companion set available. See page 12

23121

Black H690 W280 D250 (27x11x10")

## Stockholm



Logs not supplied


23120

Set2 Log & Kindling Holders  
Log: H295 Dia330 (11.5x13")  
Kindling: H220 Dia200 (8.5x8")

**CALFIRE**  
The Fireside Collection



Ring  
20"




23108

H570 W510 D230  
(22.5x20x9")

Made for standard UK length logs

Ring  
27.5"



Easy assembly  
Made for standard UK length logs

23113

H760 W700 D230  
(30x27.5x9")

# CALFIRE Log Racks

## Harton



Made for standard UK length logs. Logs not included

23132

Black

H600 W675 D260 (23.5x26.5x10")

**CALFIRE**  
The Fireside Collection

## Birtley



Logs not included  
Made for standard UK length logs

23131

Black

H415 W380 D255 (16x15x10")

## Forged



Made for standard UK length logs

23128

Black

H420 W455 D205 (16.5x18x8")



Matching fireset  
27147 available;  
see page 6



Made for standard UK length logs

23129

Antique Pewter

H420 W455 D205 (16.5x18x8")



Matching fireset  
27148 available;  
see page 6



**CALFIRE**  
The Fireside Collection



Logs not supplied

*Supply your own timber to  
create the log rack you require*

## Log Rack Brackets

23111

Set4

Brackets fits standard planed wood size  
38 x 89mm; this is available from most  
hardware stores

Each bracket measures:  
H150 W95 D100 (6x3.75x4")

## 4' Log Rack

23109

H1220 W1220 D340 (48x48x13.5")



Logs not supplied.  
Assembly required

*Supply your own  
timber to create the log  
rack you require*

## Log Rack Ends

23110

Set2

Brackets fits standard planed wood  
size 38 x 89mm; this is available  
from most hardware stores.

Each frame measures:  
1120H 290W (44"x11.5")



Logs not supplied





**23102**

Round Rustic Log Basket  
Full rustic and buff with integral handles  
Height 390 Dia.480 (15.5x19")



**23137**

**Liner Only** for 23102 Log Basket  
Elasticated white liner made for the  
23102 basket but suitable for many  
round baskets with a similar diameter  
and integral handles.



**23123**

Buff Willow Log Basket  
Full double steamed buff willow with stripe  
Height 370 Dia.510 (15x20")

*Measurements given for log baskets exclude their handles.*



*2 options available*

**23083 Wild Willow Log Basket**

Full wild willow with external handles and hessian lining  
Height 381 Dia.508 (15x20")

also available without lining, **23084 Wild Willow Log Basket**  
Full wild willow with external handles  
Height 381 Dia.508 (15x20")



**23096**

Buff Willow Tall Log Basket with Lining  
Full double steamed buff willow with rustic stripe and hessian lining.  
Height 560 Dia.510 (22x20")

*See page 37 for basket kindling holders*



**23125**

Set2 Provence Tall Round Willow Log Baskets  
Full buff willow with wash finish and lining  
Large Basket H570 Dia.550 (20x22")



**23068**

Set2 Open Ended Log Baskets  
Full buff triple weave willow with rustic stripe  
Large Basket H330 W368 D483 (13x14.5x19")





23098

Set2 Deep Mill Log Baskets  
Full wild willow with rope handles.  
Large H385 W660 D470 (15x26x18.5")



23124

Set2 Country Buff Willow Log Baskets  
Full double steamed buff and rustic willow with lining  
Large Basket H400 Dia.500 (16x20")



See page 37 for basket kindling holders



23135

Set3 Rope Handled Log Baskets  
Full wild willow with rope handles and hessian lining  
Large Basket H400 W640 D470 (16x25x18.5")



23136

Set2 Vertical Weave Log Baskets  
Full Buff Willow with rope handles and hessian lining  
Large Basket H435 Dia.500 (17x20")

Measurements given for log baskets exclude their handles.



23099

Set3 Buff Willow Log Baskets  
Full buff double steamed and green willow  
Large H390 W615 D460 (15.5x24x18")



23100

Set3 Round Willow Log Baskets  
Full double steamed buff & green willow with rope handles  
Large Basket Dia.495 (19.5")



## Traditional Fire Backs - up to 24" wide

CALFIRE are proud to announce that they acquired the supply of the highly acclaimed range of quality castings from Kingsworthy Foundry in the autumn of 2010.

These Premier quality castings, British Made fire baskets, fire dogs etc from the Kingsworthy range are detailed within pages 44-57 of this catalogue.

Where Premier range alternatives are available, these are cross referenced within the catalogue.

Rose & Portcullis



35185  
W395 H535 (15.5x21")

Phoenix



35225  
W455 H560 (18x22")

Ironfounder



35226  
W480 H505 (19x20")

Tree of Life



35186  
W495 H730 (19.5x28.75")

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.

Two Cherubs



35227  
W495 H680 (19.5x26.75")

Royal Coat of Arms



35188  
W535 H655 (21x26")

Fleur-de-lys



35184  
W575 H415 (22.5x16.5")

Lion



35224  
W590 H415 (23.25x16.25")



## Traditional Fire Backs - up to 24" wide

*With our range of traditional cast iron firebacks, there is something to fit the smaller fireplace opening through to the larger inglenook.*

*Most of the firebacks are copies of authentic originals, some of which date back to the seventeenth century, and are ideal for those trying to maintain the historical charm of an old inglenook.*

*Sizes range from 405mm (16") wide to the 1065mm (42") wide 'Large Royal Oak' fireback; probably the largest fireback now available within the UK.*

*Coat of Arms  
1635*



**K6  
36Kg**

**35128**  
W595 H510 (23.5x20")

*Shield*



**K20  
40Kg**

**35229**  
W590 H575 (23.25x22.5")

*Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.*



*Plain*



**K6P  
48Kg**

**35129**  
W605 H495 (23.75x19.5")

*Pikemen*



**K7  
54Kg**

**35228**  
W590 H550 (23.5x22")

*The above brick-backed fireplace is protected by a K7 Pikemen cast iron Fireback with Barley Twist Dogs supporting a 24" Swansnest basket.*



## Traditional Fire Backs - up to 30" wide

*Kingsworthy Foundry  
traditional quality fireside  
accessories for log and  
coal burning fires, now  
available exclusively to the  
trade from CALFIRE*

*The thickness of our firebacks vary from ½" to 2" according to size. All firebacks are painted black. To install simply lean the fireback against the rear of the fireplace. Some firebacks are still hand moulded and cast in much the same way as they have been for generations. Apart from the aesthetic value, firebacks prevent scorching of the rear brickwork and help to radiate heat - a point worth remembering when installing a gas log or coal effect fire as they are equally effective with this type of appliance as with the traditional natural log or coal fire.*

*Rope Twist*

**K37**  
42Kg



35163  
W660 H495 (26x19.5")

*Large Flowers*

**K5**  
112Kg



35160  
W725 H885 (28.5x34.75")

*Laughing Lion*

**K13**  
71Kg



35127  
W725 H650 (28.5x25.5")

*Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.*

*Lion & Unicorn*

**K1**  
70Kg



35126  
W735 H660 (28.75x26")

*Plain*

**K13P**  
57Kg



35140 W740 H665 (29x26")

*Horse Chestnut*

**K51**  
68Kg



35158  
W740 H645 (29.25x25.25")



## Traditional Fire Backs - for the larger inglenook



Please note: The firebacks on Pages 46-48 are particularly heavy, therefore in the interests of Health & Safety we recommend 2/3 people are used to lift or move them.

The thickness of our firebacks vary from ½" to 2" according to size. All firebacks are painted black. To install simply lean the fireback against the rear of the fireplace. Some firebacks are still hand moulded and cast in much the same way as they have been for generations. Apart from the aesthetic value, firebacks prevent scorching of the rear brickwork and help to radiate heat - a point worth remembering when installing a gas log or coal effect fire as they are equally effective with this type of appliance as with the traditional natural log or coal fire.

**K46**  
**129Kg**

*Large Shield*



35159

W810 H1070 (31.75x42")

*Royal Oak Midi*

**K22**  
**113Kg**



35125

W845 H720 (33.25x28.5")

*Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.*

*Fairfax*

**K47**  
**79Kg**



35187

W860 H685 (34x27")



*The Royal Oak Fireback is shown here with Barley Twist Dogs supporting a 30" 4 sided Swansnest basket.*



## Traditional Fire Backs - for the larger inglenook

*Kingsworthy Foundry  
traditional quality fireside  
accessories for log and  
coal burning fires, now  
available exclusively to the  
trade from CALFIRE*

The thickness of our firebacks vary from ½" to 2" according to size. All firebacks are painted black. To install simply lean the fireback against the rear of the fireplace. Some firebacks are still hand moulded and cast in much the same way as they have been for generations. Apart from the aesthetic value, firebacks prevent scorching of the rear brickwork and help to radiate heat - a point worth remembering when installing a gas log or coal effect fire as they are equally effective with this type of appliance as with the traditional natural log or coal fire.

### Medieval Large

**K41L  
114Kg**



35183

W875 H805 (34.5x31.5")

### Lion & Unicorn

**K4  
148Kg**




35162

W965 H775 (38.25x30.5")

*Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.*

### Royal Oak Large

**K22L  
180Kg**



35124

W1070 H835 (42x33.25")



*Please note: The firebacks on Pages 46-48 are particularly heavy, therefore in the interests of Health & Safety we recommend 2/3 people are used to lift or move them.*



## Slide-in Fire Backs

These “slide-in” cast iron firebacks are designed to fit in specific firebaskets as shown on pages 53 -54.

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.

### Fleur-de-lys

### Plain

**K57F**  
9Kg



**K57P**  
9Kg



35150

W395 H275 (15.5x10.75")

35151

W395 H280 (15.5x11")



Plain fireback  
shown with  
Modula Mini Basket



Fleur-de-Lys fireback  
shown with  
Popular Black Knobs  
Standard Basket

### Fleur-de-lys

### Plain

**K58F**  
14Kg



**K58P**  
14Kg



35121

W470 H360 (18.5x14.25")

35154

W460 H365 (18x14.25")

### Fleur-de-lys

### Plain

**K59F**  
18Kg



**K59P**  
18Kg



35153

W550 H360 (21.75x14.25")

35152

W560 H365 (22x14.5")



Plain fireback  
shown with Popular  
Plain Medium Basket



## Reeded Panels



*Kingsworthy Foundry  
traditional quality  
fireside accessories for  
log and coal burning  
fires, now available  
exclusively to the  
trade from CALFIRE*

Please note: The larger reeded panels detailed on this page are particularly heavy, therefore in the interests of Health & Safety we recommend 2/3 people are used to lift or move them.




**K56**

*The above wood-panelled  
fireplace interior is lined  
with cast iron Reeded  
Panels and a 24"  
Swansnest basket  
supported by Barley  
Twist Dogs.*

*Individual sizes & weights are  
provided for guidance only;  
due to the manufacturing  
process the actual product may  
vary.*

*Cross section showing Reeded form*



*Reeded Panels are used where the complete interior of the fireplace is required to be lined, as is the case of the re-building of a Georgian fireplace, or when reproducing a "period style fireplace". A cast iron firegrate with integral small back should be used with this type of fireplace (as example above).*

**35132** W405 H915 (16x36") 41Kg

**35133** W405 H1015 (16x40") 43Kg

**35134** W455 H915 (18x36") 46Kg

**35135** W455 H1015 (18x40") 49Kg

**35136** W760 H915 (30x36") 78Kg

**35137** W760 H1015 (30x40") 87Kg

**35138** W1220 H1015 (48x40") 145Kg

**35139** W1525 H1015 (60x40") 156Kg

*Sizes approximate - please allow  
12mm (½") tolerance.*



## Traditional Firedogs

Firedogs are used as ornamental supports for Dog Grate/Baskets. Consideration should be given to the extra width required in a fireplace opening to accommodate the feet span of the dogs.

Cast Iron Dogs can, if preferred be used without a Dog Basket. Seasoned logs can be lent against the cross bars and burnt on the hearth base, providing there is a good draw in the chimney.

**All Fire Dogs sold as pairs**

### Canterbury

Although not from the Kingsworthy Range these quality British Made Dogs must be considered part of our Premier Castings Range.




34013

Solid Brass Canterbury  
H380 (15")

### Scroll Dogs



### Ball Head Dogs



### Mulling Dogs



All Bar Heights 150mm (6"). All British Made Dogs dimensions may vary by 15mm due to hand crafting

Medium 34170

W260 D515 H440 (10.25x20.25x17.25")

Large 34171

W345 D620 H560 (13.5x24.5x22")

Medium 34115

W260 D525 H415 (10.25x20.75x16.25")

Large 34116

W340 D660 H590 (13.5x26x23.25")

Medium 34117

W250 D515 H475 (9.75x20.25x18.75")

Large 34118

W310 D605 H630 (12.25x23.75x24.75")

### Pinnacle Dogs (Cast Iron)



### Barley Twist Dogs (Cast Iron)



### Column Dogs (Cast Iron)



All Bar Heights 150mm (6")

35122

W195 D485 H405 (7.75x19x16")

35123 W255 D465 H430 (10x18.25x17")

35164

W210 D465 H380 (8.25x18.25x15")

## Tapered Firegrates

*Kingsworthy Foundry  
traditional quality fireside  
accessories for log and coal  
burning fires, now available  
exclusively to the trade  
from CALFIRE*

*These Tapered Firegrates  
are supplied as shown in the  
pictures. Ash Pans and  
Replacement Grids are  
available separately as  
detailed in the product  
information.*

### Ultra

Dimensions:  
16"- W395/255 D240 H175 (15.5/10x9.5x7")



*Includes Draught Cover*

16" Ultra Firegrate 34101  
16" Ash Pan 34137  
16" Replacement Grid 35141

Dimensions:  
18"- W445/290 D240 H175 (17.5/11.5x9.5x7")



*Includes Draught Cover*

18" Ultra Firegrate 34102  
18" Ash Pan 34138  
18" Replacement Grid 35142

### Windsor Inset

Dimensions:  
16"- W405/240 D280 H220 (16/9.5x11x8.75")



*Includes Draught Cover*

16" Windsor Inset 35130  
16" Ash Pan 34137  
16" Replacement Grid 35130G

Dimensions:  
18"- W455/285 D285 H220 (18/11.25x11.25x8.75")



*Includes Draught Cover*

18" Windsor Inset 35131  
18" Ash Pan 34138  
18" Replacement Grid 35131G



## British Firebaskets

Please note that the cast iron replaceable fire grids and the slot-in firebacks are manufactured in China.

*Kingsworthy Foundry  
traditional quality fireside  
accessories for log and  
coal burning fires, now  
available exclusively to the  
trade from CALFIRE*

*Replacement  
grids are available  
for all British Firebaskets.  
See Page 57 for  
details.*

**CALFIRE**  
The Fireside Collection



See page 49 for larger  
illustrations of the available  
Standard fireback options.




See page 44 for larger  
illustrations of the available  
Medium K43 fireback options.

Portcullis with  
Swan Neck



**G20**

Portcullis with Swan  
Neck & Back



**G21**

Dimensions:

Standard - W485 D350 H335 (19x13.75x13.25")

Medium - W640 D350 H335 (25.25x13.75x13.25")

Large - W735 D455 H425 (29x18x16.75")

Ashpans, Draught Covers and replacement Grids available - See Page 57 for details

**G21 with Fleur-de-Lys Back:**

Standard 34191

Medium 34194

(Standard F-D-L shown):

**G21 with Plain Back:**

Standard 34192

**G21 with Lion Back:**

Medium 34196

**G20 Basket:**

Standard 34188 - Medium 34189 - Large 34190

When fitting the optional slot-in firebacks the overall height  
will increase by approx. 135mm (5.25") with the Standard size and  
approx. 190mm (7.5") with the Medium Sizes

Ducksnest



**G24**

Ducksnest for Dogs  
(Shown with British Ball Head Dogs)



**G26**

G24 Dimensions:

Standard - W545 D275 H250 (21.5x10.75x9.75")

Medium - W615 D330 H260 (24.25x13x10.25")

Large - W750 D440 H285 (29.5x17.25x11.25")

Ashpans, Covers and replacement Grids available - See Page 57 for details

G26 Dimensions:

Standard W620/545 D275 H150

(24.5/21.5x10.75x6")

Medium W750/615 D330 H150

(29.5/24.25x13x6")

Large W850/750 D440 H180

(33.5/29.5x17.25x7")

Dimensions do not include  
Firedogs. Depending on  
choice, Firedogs will lift these  
baskets by 6-7" and extend  
the width by 6-12". Please  
see page 51 for Firedog  
dimensions.

**G24 Basket:** Standard 34109

Medium 34110

Large 34111

**G26 Ducksnest for Dogs:** Standard 34112

Medium 34113

Large 34114



## British Firebaskets - Please note that the cast iron replaceable fire grids and the slot-in firebacks are manufactured in China.

### Popular - Black Knobs



**G14**

### Popular - Black Knobs with Back



**G15**

#### Dimensions:

Mini - W450 D290 H310 (17.75x11.5x12.25")  
Standard - W520 D345 H345 (20.5x13.5x13.5")  
Medium - W605 D345 H345 (23.75x13.5x13.5")

Ashpans, Draught Covers and replacement Grids available - See Page 57 for details

#### G14 Basket:

Mini 34106 - Standard 34107 - Medium 34108

When fitting the optional slot-in firebacks the overall height will increase by approx. 90mm (3.5") with the Mini size and approx. 135mm (5.25") with the Standard and Medium Sizes



See page 49 for larger illustrations of the available fireback options.

#### G15 with Fleur-de-Lys Back:

Mini 34152  
Standard 34155  
Medium 34158  
(Standard F-D-L shown)

#### G15 with Plain Back:


Mini 34153  
Standard 34156  
Medium 34159

### Popular Plain



**G61**

### Popular Plain with Back



**G63**

#### Dimensions:

Mini - W420 D275 H250 (16.5x10.75x9.75")  
Standard - W490 D330 H250 (19.25x13x9.75")  
Medium - W580 D345 H250 (22.75x13.5x9.75")

Ashpans, Draught Covers and replacement Grids available - See Page 57 for details

#### G61 Basket:

Mini 34103 - Standard 34104 - Medium 34105

When fitting the optional slot-in firebacks the overall height will increase by approx. 145mm (5.75") with the Mini size and approx. 235mm (9.25") with the Standard and Medium Sizes



See page 49 for larger illustrations of the available fireback options.

#### G63 with Fleur-de-Lys Back:

Mini 34161  
Standard 34164  
Medium 34167

#### G63 with Plain Back:

Mini 34162  
Standard 34165  
Medium 34168

### Modula Includes Draught Cover



**G68**

### Modula with Back Includes Draught Cover



**G69**

#### Dimensions:

Mini - W430 D280 H255 (17x11x10")  
Standard - W495 D335 H255 (19.5x13.25x10")  
Medium - W585 D335 H255 (23x13.25x10")

Ashpans and replacement Grids available - See Page 57 for details

**G68 Basket:** Mini 34176 - Standard 34177 - Medium 34178

When fitting the optional slot-in firebacks the overall height will increase by approx. 180mm (7") with the Mini size and approx. 260mm (10.25") with the Standard and Medium Sizes

#### G69 with Fleur-de-Lys Back:

Mini 34179  
Standard 34182  
Medium 34185

#### G69 with Plain Back:

Mini 34180  
Standard 34183  
Medium 34186  
(Mini Plain shown):

ALL BRITISH  
MADE ITEMS  
ON THIS  
PAGE



## Fire Baskets Cast Iron

### Spanish with Back



**C9Std**  
23Kg



**C9Med**  
28Kg

Combined Cover/Ashpan's sold separately.  
Replacement Grids available.

C9 Standard 35176  
W470 D290 H455 (18.5x11.5x18")  
Combined Cover/Ashpan 35191  
Replacement Grid 35246

C9 Medium 35177  
W545 D300 H465 (21.5x11.75x18.25")  
Combined Cover/Ashpan 35192  
Replacement Grid 35247

### Original Cromwell with Back

(Original Heavy  
KWF Product)



**C11B**  
25Kg

Combined Cover/Ashpan's sold separately

C11B Standard 35239 W430 D275 H335 (17x10.75x13.25")  
Combined Cover/Ashpan - Standard 35195  
(Fireback Only K60 35161)

### Adam No.2



**C2**  
40Kg


Cover sold separately

C2 Basket 35120 W570 D330 H635 (22.5x13x25")  
Cover 35193

Individual weights are provided for guidance only; the actual product may vary slightly.

### Original Cromwell

(Original Heavy  
KWF Product)



**C11**


Weights:  
Standard - 16.5Kg  
Large - 22Kg

Combined Cover/Ashpan's sold separately

C11 Standard 35118 W430 D275 H150 (17x10.75x6")  
C11 Large 35119 W535 D305 H150 (21x12x6")  
Combined Cover/Ashpan: Standard 35195 - Large 35196

### New Cromwell

(New Medium  
Weight Product)



**C12**

Weights:  
Standard - 11.5Kg  
Large - 15.5Kg


These weights are heavier than many other suppliers standard items.  
Combined Cover/Ashpan's sold separately

C12 Standard 35241 W430 D275 H150 (17x10.75x6")  
C12 Large 35242 W535 D305 H150 (21x12x6")  
Combined Cover/Ashpan: Standard 35195 - Large 35196

## Fire Baskets Cast Iron

### Swansnest for dogs

**C13**



Shown on G36 Pinnacle Dogs  
Dimensions do not include firedogs

- C13 18" **35166** W440 D280 H165 (17.25x11x6.5")
- C13 24" **35167** W590 D320 H165 (23.25x12.5x6.5")
- C13 30" **35168** W730 D405 H165 (28.75x16x6.5")
- C13 36" **35169** W900 D415 H165 (35.5x16.25x6.5")

### Swansnest freestanding

**C14**



These items can be supplied with Plain Legs as shown.  
Dimensions as C13 range with Height increased to 240mm (9.5")

- With Plain Legs:
- C14 18" **35208**
  - C14 24" **35210**
  - C14 30" **35212**
  - C14 36" **35214**

### Swansnest - 3 sided for dogs

**C20**



Shown on G40 Barley Twist Dogs  
Dimensions do not include firedogs

- C20 18" **35145** W445 D305 H165 (17.5x12x6.5")
- C20 24" **35146** W610 D355 H165 (24x14x6.5")
- C20 30" **35147** W750 D415 H165 (29.5x16.25x6.5")
- C20 36" **35148** W890 D415 H165 (35x16.25x6.5")
- C20 42" **35149** W1040 D415 H165 (41x16.25x6.5")

### Swansnest - 3 sided freestanding

**C21**



These items can be supplied with Plain Legs as shown.  
Dimensions as C20 range with Height increased to 240mm (9.5")

- With Plain Legs:
- C21 18" **35198**
  - C21 24" **35200**
  - C21 30" **35202**
  - C21 36" **35204**
  - C21 42" **35206**

### Log Cradle for dogs

**C30**



Shown on G41 Column Dogs.  
Use with bar at front or back.  
Dimensions do not include firedogs

- C30 18" **35155** W445 D305 H100 (17.5x12x4")
- C30 24" **35156** W610 D355 H100 (24x14x4")
- C30 30" **35157** W750 D415 H100 (29.5x16.25x4")

### Log Cradle freestanding

**C31**



These items can be supplied with Plain Legs as shown.  
Dimensions as C30 range with Height increased to 165mm (6.5")  
Use with bar at front or back

- Plain Legs: C31 18" **35216**
- C31 24" **35218**
  - C31 30" **35220**



## Miscellaneous

### Ash Pans - All Heights 27mm

**A20**



- 34137** A20/A 16" Milner
- 34138** A20/B 18" Milner
- 34139** A20/C 11.5x9.25"
- 34140** A20/D 14.25x9.25"
- 34141** A20/E 14.25x10.5"
- 34142** A20/F 15.75x10.5"
- 34143** A20/G 17x10.5"
- 34145** A20/I 19.5x10.5"
- 34146** A20/J 20.5x10.5"
- 34148** A20/L 25x15"
- 34149** A20/M 18x15"
- 34151** A20/O 20x14"

### Ashpan Covers

**A21**



- 34119** A21/02 14.75x4"
- 34120** A21/03 17.25x4"
- 34121** A21/04 21.25x4"
- 34127** A21/13 Unique
- 34130** A21/17 Unique
- 34131** A21/18 Unique

Where a cover is marked as 'Unique' it is NOT a rectangular shape and only fits the baskets indicated in the listing on the right.

### Milner Grids

To fit discontinued Tapered Grates G2 & G8; Also for Grate G55 on Page 52

**A18**



- 35141** 405mm (16")  
WF315xWB215xD208  
(12.5x8.5x8.25")

- 35142** 455mm (18")  
WF361xWB261xD208  
(14.25x10.25x8.25")

### Rectangular Grids

See list on right for details of which grid is used on which basket

**A18  
&  
C09**



- 35171** A18 Ref.B 395x240mm (15.5x9.5")
- 35172** A18 Ref.C 455x305mm (18x12")
- 35173** A18 Ref.F (Sold in pairs) each one measures 215x280mm (8.5x11")
- 35174** A18 Ref.G 375x220mm (14.75x8.75")
- 35246** C09 18" Spanish Grid
- 35247** C09 21" Spanish Grid

### Loose Bars

Used in conjunction with Rectangular Grids on some baskets.

**A18**



- 35143** Standard 250x30mm (9.75x1.25")
- 35144** Medium 280x30mm (11x1.25")

### Former Kingsworthy Products Ashpan, Draught Cover & Replacement Grid Guide

This list does not include items already detailed in the catalogue.

CODE	DESCRIPTION	ASHPAN	COVER	GRID
34103	G61 MINI POPULAR PLAIN	34140	34119	35174
34104	G61 STANDARD POPULAR PLAIN	34143	34120	1pr x 35173
34105	G61 MEDIUM POPULAR PLAIN	34146	34121	1pr x 35173 + 3 x 35144
34106	G14 MINI POPULAR - BLACK KNOBS	34140	34119	35174
34107	G14 STANDARD POPULAR - BLACK KNOBS	34143	34120	1pr x 35173
34108	G14 MEDIUM POPULAR - BLACK KNOBS	34146	34121	1pr x 35173 + 3 x 35144
34109	G24 STANDARD DUCKNEST	34139	34130	1 x 35171 + 6 x 35143
34110	G24 MEDIUM DUCKNEST	34142	34131	1pr x 35173 + 6 x 35144
34111	G24 LARGE DUCKNEST	34151	34127	2 x 35174
34112	G26 STANDARD DUCKNEST FOR DOGS		34120	1 x 35171 + 6 x 35143
34113	G26 MEDIUM DUCKNEST FOR DOGS		34121	1pr x 35173 + 6 x 35144
34114	G26 LARGE DUCKNEST FOR DOGS			2 x 35174
34152/53	G15 MINI POPULAR + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34155/56	G15 STANDARD POPULAR + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34158/59	G15 MEDIUM POPULAR + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34161/62	G63 MINI POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34140	34119	35174
34164/65	G63 STANDARD POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34143	34120	1pr x 35173
34167/68	G63 MEDIUM POPULAR PLAIN + VARIOUS FIREBACK OPTIONS	34146	34121	1pr x 35173 + 3 x 35144
34176	G68 MINI MODULA	34140	Inc	35174
34177	G68 STANDARD MODULA	34143	Inc	1pr x 35173
34178	G68 MEDIUM MODULA	34146	Inc	1pr x 35173 + 3 x 35144
34179/80	G69 MINI MODULA + VARIOUS FIREBACK OPTIONS	34140	Inc	35174
34182/83	G69 STANDARD MODULA + VARIOUS FIREBACK OPTIONS	34143	Inc	1pr x 35173
34185/86	G69 MEDIUM MODULA + VARIOUS FIREBACK OPTIONS	34146	Inc	1pr x 35173 + 3 x 35144
34188	G20 STANDARD PORTCULLIS WITH SWAN NECK	34141	34120	1pr x 35173
34189	G20 MEDIUM PORTCULLIS WITH SWAN NECK	34146	34121	1pr x 35173 + 3 x 35144
34190	G20 LARGE PORTCULLIS WITH SWAN NECK			3 x 35174
34191/92	G21 STANDARD PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34141	34120	1pr x 35173
34194/96	G21 MEDIUM PORTCULLIS WITH SWAN NECK + VARIOUS FB'S	34146	34121	1pr x 35173 + 3 x 35144

## Traditional Fire Baskets - See Price List for Gas Burner Availability.

### Cottage



This item is reversible and can be used with an All Black front or a Polished front.

Solid Fuel Kit sold separately

Small Cottage 35057 W495 D305 H370 (19.5x12x14.5")

Large Cottage 35049 W540 D305 H480 (22x12x19")

Solid Fuel Kit SFK26 35113

The Solid Fuel Kit for this product includes only the fire grid.

Solid Fuel Kit  
sold separately


### Castle




Castle Basket 35090  
W570 D280 H440 (22x11x17")  
Solid Fuel Kit SFK22C 35114

**CALFIRE**  
The Fireside Collection

Individual sizes & weights are provided for guidance only; due to the manufacturing process the actual product may vary.



### Valencia



Solid Fuel Kits  
sold separately

16" 35099 W400 D330 H220. Solid Fuel Kit SFK23 35110

18" 35100 W470 D335 H220. Solid Fuel Kit SFK12 35112

21" 35101 W550 D330 H220. Solid Fuel Kit SFK14 35116



## Modern Fire Baskets - See Price List for Gas Burner Availability.

### Neon - Dimensions: W380 D280 H225 (15x11x9")



*Solid Fuel Kit sold separately  
Shown with backs fitted although these can be removed*

Polished Neon 35035  
Solid Fuel Kit SFK23 35110

Black Neon 35036  
Solid Fuel Kit SFK23 35110

### Elan No Back - Dimensions: W435 D295 H210 (17x12x8")



*Solid Fuel Kit sold separately*

Polished Elan No Back 35037  
Solid Fuel Kit SFK12 35112

Black Elan No Back 35038  
Solid Fuel Kit SFK12 35112



*With these baskets choose a black finish for use with solid fuel as polished surfaces change colour with heat. Polished surfaces can also be affected by the heat from gas appliances although the resultant discolouration will be much less noticeable.*

## Modern Fire Baskets - See Price List for Gas Burner Availability.

*Krypton* - Dimensions: W535 D260 H190 (21x10.25x7.5")



*Solid Fuel Kit sold separately  
Shown with and without back fitted*

Polished Krypton 35092  
Solid Fuel Kit SFK22K 35115



Black Krypton 35091  
Solid Fuel Kit SFK22K 35115

*With the Krypton & Elan Baskets choose a black finish for use with solid fuel as polished surfaces change colour with heat.*

*Polished surfaces can also be affected by the heat from gas appliances although the resultant discolouration will be much less noticeable.*

*See price list for gas burner availability.*

**CALFIRE**  
*The Fireside Collection*



## *Elan With Back*

Dimensions: W460 D305 H410 (18x12x16")



*Solid Fuel Kit sold separately*

Black Elan With Back 35040  
Solid Fuel Kit SFK12 35112



*Solid Fuel Kit sold separately*

Polished Elan With Back 35039  
Solid Fuel Kit SFK12 35112



## Modern Fire Baskets - See Price List for Gas Burner Availability.

### The Matrix

Dimensions:  
W515 D300 H395  
(20x12x15.5")

**With the Matrix Baskets choose a black finish for use with solid fuel as polished surfaces change colour with heat. Polished surfaces can also be affected by the heat from gas appliances although the resultant discolouration will be much less noticeable.**



The Matrix Back 35093  
Solid Fuel Kit SFK14 35116

*Solid Fuel Kit  
sold separately*



The Matrix Polished 35094  
Solid Fuel Kit SFK14 35116

## Gas Burners

**Calfire offer a range of Gas Fires suitable for use with many of our range of Traditional & Modern Baskets.**

**LPG Fires are available to order.**

**See price list for details. Gas Burner codes from 37005**



*Shown with Cadiz Basket  
(Sorry the Cadiz Basket is itself no longer available)*

# CALFIRE Castings

## Solid Fuel Fret Sets

*Dimensions given for Fret Sets are category sizes relating to standard milner firebacks -*




**See Page 52 for CALFIRE PREMIER RANGE alternatives**




*Includes Style Fret, Grate, Ashpan & Ashpan Tool.*

Style Solid Fuel Kit  
35080 W400 (16")



*Includes Beacon Fret, Grate, Ashpan & Ashpan Tool.*

Beacon Solid Fuel Kit  
35076 W400 (16")  
35104 W450 (18")



*Includes Joyce Fret, Grate, Ashpan & Ashpan Tool.*


Joyce Solid Fuel Kit  
35081 W400 (16")



## All Night Burners

Dimensions for All Night Burners are category sizes relating to standard milner firebacks

Fire Grates and Ash Pans are included with all 'All Night Burners'



Lattice All Night Burner

Regency All Night Burner

Star All Night Burner


35077 W400 (16") 35078 W450 (18")  
Spare Bottom Grates Only:  
35077BG W400 (16") 35078BG W450 (18")

35079 W400 (16")  
Spare Bottom Grate Only:  
35077BG W400 (16")  
- Same as 16" Lattice Bottom Grate -

35105 W400 (16") 35106 W450 (18")  
Spare Bottom Grates Only:  
35105BG W400 (16") 35106BG W450 (18")


## Fire Grates

Dimensions for Fire Grates are category sizes relating to standard milner firebacks



Regal 16"  
Width Front 380mm  
Width Back 255mm  
Sides 240mm

Joyce 16"  
Width Front 380mm  
Width Back 245mm  
Sides 220mm  
Joyce 18"  
Width Front 420mm  
Width Back 295mm  
Sides 220mm



Guardette 16"  
Width Front 390mm  
Width Back 245mm  
Sides 210mm  
Guardette 18"  
Width Front 440mm  
Width Back 315mm  
Sides 230mm

Standard 16"  
Width Front 375mm  
Width Back 250mm  
Sides 200mm  
Standard 18"  
Width Front 430mm  
Width Back 300mm  
Sides 200mm

A - Regal Grate  
35001 W400 (16")

B - Joyce Grate & Front  
35002 W400 (16")  
35003 W450 (18")

C - Guardette Grate  
35004 W400 (16")  
35005 W450 (18")

D - Standard Grate  
35006 W400 (16")  
35007 W450 (18")

## Ash Pans

Dimensions for Ash Pans are category sizes relating to standard milner firebacks



Please Note;  
Ash Pans E may be  
supplied in a steel  
or black finish

18" version



E - Ashpan  
34077 W400 (16")  
34094 W450 (18")

F - Standard Ashpan  
34093 W400 (16")  
34092 W450 (18")

## Kettle

Weight  
4Kg



This item is water proof but is coated in a protective paint on the inside, therefore it is recommended for decorative use only.

35240  
Kettle with Coil Handle  
W260 D210 H230 (10x8.25x9")

## Ash Carriers



35075

Room Heater Ash Carrier to suit Charnwood, Parkray & Trianco  
W405 H480 (16x19")



35074

Open Fire Ash Carrier to suit 16" & 18" Open Fires  
W430 H330 (17x13")

## Solid Fuel Frets

### Castle



Castle Black  
33070 16"  
33072 18"

### N Type



N Type Black  
33066 16"  
33068 18"

*In addition to the Frets featured on this page you can also choose any of the cast iron frets from pages 65-67.*

### Style



Style Black  
33074 16"  
33075 18"

### Beacon



Beacon Black  
33021 16"  
33024 18"




# CALFIRE Frets

*Frets* - Dimensions given for Frets are category sizes relating to standard milner firebacks.

## Grace



Black  
33079 W400 (16")



Chrome  
33081 W400 (16")



Brass  
33080 W400 (16")


## Blenheim Solid Cover




Black Cast Iron  
33011 W400 (16")  
33019 W450 (18")



Black & Polished  
33016 W400 (16")  
33020 W450 (18")



Chrome  
33077 W400 (16")



Brass  
33014 W400 (16")  
33017 W450 (18")



Black & Brass  
33015 W400 (16")  
33018 W450 (18")

## Aviva



Black  
33095 W400 (16")  
33099 W450 (18")



Chrome  
33096 W400 (16")  
33100 W450 (18")



Brass  
33098 W400 (16")  
33102 W450 (18")



Satin  
33097 W400 (16")  
33101 W450 (18")


# CALFIRE Frets

*Frets* - Dimensions given for Frets are category sizes relating to standard milner firebacks

## Balmoral



Black Balmoral  
33041 W400 (16")



Brass  
33005 W400 (16")



Black & Brass  
33006 W400 (16")


## Daisy



Black  
33085 W400 (16")



Chrome  
33088 W400  
(16")



Black & Chrome  
33089  
W400 (16")



Brass  
33086  
W400 (16")



Black & Brass  
33087  
W400 (16")

## Tiffany Art Deco



Chrome  
33103 W400 (16")



Brass 33105 W400 (16")




Satin  
33104 W400 (16")



**Frets** - Dimensions given for Frets are category sizes relating to standard milner firebacks.

## Bauhaus



With the Bauhaus Fret choose a black finish for use with solid fuel as polished surfaces change colour with heat. Polished surfaces can also be affected by the heat from gas appliances although the resultant discolouration will be much less noticeable.

Black Cast Iron  
33043 W400 (16")  
33046 W450 (18")

Antique  
33045 W400 (16")  
33048 W450 (18")

Polished  
33044 W400 (16")  
33047 W450 (18")

**Fire Trims** - Dimensions given for Fire Trims are category sizes relating to standard milner firebacks



All Fire Trims have a height of 560 (22"). Special sizes and Arched Trims are available to order, 3 or 4 sided, in various material finishes. Contact our Sales Office for details.

**A. Polished Stainless Steel**  
36009 W400 (16")  
36010 W450 (18")  
50 (2") Front, 50 (2") Return

**C. Black**  
36007 W400 (16")  
36008 W450 (18")  
50 (2") Front, 50 (2") Return

**B. Satin Stainless Steel**  
36011 W400 (16")  
36012 W450 (18")  
50 (2") Front, 50 (2") Return

**D. Brass**  
36001 W400 (16")  
36002 W450 (18")  
50 (2") Front, 50 (2") Return  
and  
36003 W400 (16")  
36004 W450 (18")  
50 (2") Front, 25 (1") Return

**E. Black & Brass**  
36005 W400 (16")  
36006 W450 (18")  
50 (2") Front, 50 (2") Return



**Club Fenders** - Key: BB = Brass Backs fitted as standard. MES = Minimum extending size possible.  
Antique Brass & Satin Chrome finishes now available or any combination i.e. Black & Satin Chrome



Illustrated seat colour is Burgundy

### SPIRAL BLACK

Made to measure only, 4' (1220mm) minimum width.  
3 row 'deep' buttons as standard.  
Seat size shown approx W6.5"H20.5" (165x520mm)

Incorporating the finest quality hide with close attention to detail, the Club range offers the perfect solution for an exclusive fireside setting. With a range of seat covers including Burgundy, Antique Green, Burnt Copper, Earth Brown, Ocean Blue and Black. Seat styles can be varied to suit personal requirements with models illustrated depicting standard seat designs. For reasons of stability, we recommend a minimum base return of 12"(300mm). We will be pleased to provide a quotation for special sizes and configurations which can be manufactured to your requirements. Optional Brass Backs are available on all models, with the exception of the Regal Club and Spiral Black but are fitted as standard on the Canterbury.



Illustrated seat colour is Antique Green

### WINDERMERE

MES 4/5' (1220x1525mm). Unbuttoned as standard.  
Seat size shown approx W6.5"H16.5" (165x254mm)



Illustrated seat colour is Earth Brown

### MINI MAJESTIC

MES 4/5'. 2 row 'float' buttons as standard.  
Seat size shown approx W6.5"H14" (165x254mm)



Illustrated seat colour is Ocean Blue

### MAJESTIC

MES 4/5' (1220x1525mm). 3 row 'float' buttons as standard.  
Seat size shown approx W7.75"H20" (195x510mm)



Illustrated seat colour is Black

### REGENT

MES 4/5' (1220x1525mm). Unbuttoned as standard.  
Seat size shown approx W6.5"H18" (165x460mm)



Illustrated seat colour is Antique Green

CANTERBURY MTM only,  
4' (1220mm) minimum width.  
3 row 'deep' buttons as standard.  
BB Seat size shown approx  
W6.5"H18" (165x460mm)



Illustrated seat colour is Burgundy

### REGAL

Made to measure only. 5' (1525mm) minimum width.  
3 row 'deep' buttons as standard. Seat size shown  
approx W6.5"H20.5" (165x520mm)




ALL BRITISH  
MADE ITEMS  
ON THIS  
PAGE





*Hearth Fenders* - All standard fenders have **INTERNAL** dimensions of 1220/1525 x 380mm (4'5"x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided.



Sandringham Black & Brass  
30025

Sandringham Brass  
30015

Base Only dimensions H50mm D50mm

Classic 6 Brass  
30045

Classic 6 Black & Brass  
30055




Classic 6 Black & Silver  
30065

Classic 6 Silver  
30075



Base Only dimensions H50mm D50mm

To ensure goods are received in perfect condition fenders on this page, apart from the Sandringham's, are supplied in 3 pieces for easy showroom or home fitting.



Spiral Black & Brass  
30275

Spiral Black & Silver  
30285


Spiral Black  
30265

Base Only dimensions H50mm D50mm




**Hearth Fenders** - All standard fenders have INTERNAL dimensions of 1220/1525 x 380mm (4'5"x15"), unless otherwise stated. We offer a bespoke service where width and depth dimensions as well as various finish options can be provided.

Classic Base Brass  
30035



Classic Base Black  
30255



Classic Base Steel  
30085



Base Only dimensions H50mm D50mm




To ensure goods are received in perfect condition all fenders on this page are supplied in 3 pieces for easy showroom or home fitting. Special Order Fenders can include the Regal Base shown below.


Regal Base Brass  
30095



Regal Base Black  
30115



Regal Base Steel  
30105



Base Only dimensions H50mm D75mm




# CALFIRE Fenders

## Hearth Fenders

*Specified finishes  
relate to colour only  
and not material.*

*All Base Only dimensions H65mm D65mm*

*All standard fenders  
have INTERNAL  
dimensions of  
1220/1525 x380mm  
(4'5"x15"), unless  
otherwise stated.  
The fenders offered  
on this page are only  
available in standard  
sizes and finishes.*




*Plain Base - 3 Piece*



All Black  
31006

*6 Ball - 3 piece*



Black  
& Brass  
31003

*Spiral Twist - 3 piece*



All Black  
31004

Black &  
Satin Nickel  
31007



*6 Urn - 3 piece*



All Black  
31000



All Black  
31002

The Caframo Ecofan is a heat-powered fan designed to circulate the warm air created by a wood or gas stove. Improved warm air circulation results in greater comfort and less fuel consumption.

## Why buy a Stove Fan?

- \* **Costs nothing to run...** Using the heat from the stove, a Stove Fan is the most economical way to effectively circulate the warm air your stove produces. No cables, plugs or batteries are required.
- \* **Cuts your fuel bills...**
- \* **Increased Efficiency...** warm air is pushed out into the living area rather than just rising to the ceiling above the stove. This improves the heating effectiveness of the stove and results in greater room comfort as shown below.

\* Heat distribution without a Caframo Ecofan



\* Simulation

\* Heat distribution with a Caframo Ecofan



\* Simulation

## Reasons to buy a Genuine Caframo Ecofan

- \* Caframo have two decades of experience perfecting the Ecofan. **This means lower failures and higher customer satisfaction.**
- \* Caframo Ecofans are made in Canada, last longer and utilise a superior design that operates more efficiently and effectively than 3, 4 or 5 blade models.
- \* More Caframo Ecofans have been sold than all other stove top fans combined.
- \* Test results using AMCA testing standards prove that most air flow claims made by other stove top fan manufacturers are exaggerated, some by as much as 45%.
- \* **Fully CE compliant for Immunity Emissions and Product Safety**
- \* **All Caframo Ecofans are sold with a 2 year warranty.**



Caframo Ecofans are assembled  
in CANADA with domestic  
and imported parts



Caframo Ecofans fully comply with  
all CE Immunity Emissions and  
Product Safety requirements.

## How to get the most from your Ecofan

Placement of your Ecofan on your stove top is critical. Be sure to position the Ecofan on the stove so that cool air will be drawn over the 'cooling fins'. The Ecofan should not be used directly in front of the stovepipe or at the front of the stove. Place the Ecofan at the back edge of the stove as shown in the diagram. Should the gap between the rear of your stove and your wall be less than 150mm (6") then move your Ecofan forward, along the side of your stove and turn it in slightly. This should ensure your fan can draw the necessary cooler air from the rear/side of your stove.





## Which Ecofan do you need?

If you have a wood-stove the 812 AirMax will provide the highest air flow and start working at the lowest temperature so this is the ultimate option. Alternatively the 810 UltraAir will provide slightly less air movement and start working at a slightly higher temperature but still provide excellent results. For minimal outlay opt for the basic 800 Original or, if space is an issue, the basic 815 Original Mini which will provide reduced performance but still improve your comfort. All Ecofans are sold with the reassurance of a 2 year warranty.

The 806 BelAir is designed for use on the lower stove-top operating temperatures found on many gas, pellet or contemporary stoves and will outperform other Ecofans within its operating range.

Out Performs - Out Lasts - Out Sells

### PROVEN TESTING

WOOD STOVES	Operating Temperature	CFM* (up to)	Fuel Saving (up to)	Feel Heat Faster**	Warranty Period
<b>812 AirMax Ecofan</b> Dimensions: Base plate 121x82mm (4.75x3.25") Height 248mm (9.75") from base to top of casting, excluding handle. Blade diameter 232mm (9")	85 - 345°C	175	18%	38%	2 Years
<b>810 UltraAir Ecofan</b> Dimensions: Base plate 121x76mm (4.75x3") Height 222mm (8.75") from base to top of casting, excluding handle. Blade diameter 206mm (8")	100 - 345°C	125	14%	31%	2 Years
<b>800 Original Ecofan</b> Dimensions: Base plate 100x75mm (4x3") Height 235mm (9.25") from base to top of blade, excluding handle. Blade diameter 206mm (8")	110 - 345°C	100	12%	20%	2 Years
<b>815 Original Mini Ecofan</b> Dimensions: Base plate 100x75mm (4x3") Height 165mm (6.5") from base to top of blade, excluding handle. Blade diameter 160mm (6.3")	110 - 345°C	85	10%	17%	2 Years
			Results determined by CFD simulations and prototype testing, to be verified with off-tool samples. See <a href="http://www.ecofan.co.uk">www.ecofan.co.uk</a> for latest information.		
SPECIALITY STOVES Low temperature for many gas, pellet or contemporary stoves	Operating Temperature	CFM* (up to)	Fuel Saving (up to)	Feel Heat Faster**	Warranty Period
<b>806 BelAir Ecofan</b> Dimensions: Base plate 162x75mm (6.4x2.9") Height 241mm (9.5") from base to top of casting, excluding handle. Blade diameter 232mm (9")	75 - 200°C	140	The 806 BelAir Ecofan outperforms the 812, 810 and 800 Ecofans in its operating temperature of 75 - 200°C. Fuel saving and feel the heat results vary depending on type/features of the speciality stove.		2 Years

\*CFM – cubic feet per minute of air moved


\*\* Time taken to reach 20°C from a cold start of 17°C in a standard test environment.

AirMax: 68 minutes UltraAir: 76 minutes Original: 87 minutes Original Mini: TBC No fan: 110 minutes

All Ecofans produce a useful 50 CFM at minimum operating temperature


## Performance

The Performance Graph shows the different capabilities of the Ecofan woodstove range. The 812 AirMax moves significantly more air than the 810 UltraAir while this unit moves significantly more than the basic 800 Original or the basic 815 Original Mini.



## Efficiency

This graph shows the 806 BelAir to give the best performance at low temperatures while, of the woodstove fans, the best option is the 812 AirMax followed by the 810 UltraAir and then the basic 800 Original and 815 Original Mini models.



\* 815 Original Mini results determined by CFD simulations and prototype testing, to be verified with off-tool sampling. See [www.ecofan.co.uk](http://www.ecofan.co.uk) for latest information.

## AirMax 812 Wood-Stove Ecofan

The Caframo AirMax Ecofan 812 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 85°C and 345°C. The AirMax Ecofan 812 generates up to 175 Cubic Feet (of Air) per Minute. (At 85°C the AirMax Ecofan 812 will move 50 CFM )

Dims: Base Plate W121 D82 (4.75x3.25"). H248 (9.75") from base to top of casting, excluding handle. Blade diameter 232mm (9")

**AIRMAX  
Ecofan**

The AirMax 812 replaced the AirPlus Ecofan in 2011.

Which unit do you need? See page 73 for confirmation that the 812 AirMax provides the best Performance and is the most Efficient wood-stove Ecofan.

**Sold with a  
2 year Warranty**



AirMax 812 Ecofan  
E812BB  
All Black



AirMax 812 Ecofan  
E812BN  
Black & Nickel



AirMax 812 Ecofan  
E812BG  
Black & Gold

*It is important to read and follow the instructions on the correct placement of the Ecofan to ensure satisfactory long term use and that your stove is working within the temperature range of 'best operation'. We recommend the use of our Stovetop Thermometer 14077; see page 86 for details.*

## UltrAir 810 Wood-Stove Ecofan

The Caframo UltrAir Ecofan 810 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with surface temperatures of between 100°C and 345°C. The Ultrair 810 Ecofan generates up to 125 Cubic Feet (of Air) per Minute. (At 100°C the UltrAir Ecofan 810 will move 50 CFM )

Dims: Base Plate W121 D76 (4.75x3"). H222 (8.75") from base to top of casting, excluding handle. Blade diameter 206mm (8")

**ULTRAIR  
Ecofan**

The UltrAir 810 replaced the Original 800 Ecofan in 2012.

Which unit do you need? See page 73 for a list of benefits of the more Effective and Efficient 812 AirMax Ecofan.


**Sold with a  
2 year Warranty**



UltrAir 810 Ecofan  
E810BG  
Black & Gold



UltrAir 810 Ecofan  
E810BN  
Black & Nickel



UltrAir 810 Ecofan  
E810BB  
All Black



*Original 800 Wood-Stove Ecofan*

The Caframo Original Ecofan 800 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original Ecofan 800 generates up to 100 Cubic Feet (of Air) per Minute. (At 110°C the Original Ecofan 800 will move 50 CFM )

Dims: Base Plate W100 D75 (4x3"). H235 (9.25") from base to top of blade, excluding handle. Blade diameter 205mm (8")

**Ecofan** ORIGINAL

Original 800 Ecofan  
E800BB  
All Black

The Original 800 was replaced by the UltraAir 810 Ecofan in 2012. It was then re-introduced into the range in 2014 as an entry level unit.

Which unit do you need? See page 73 for a list of benefits of the more Effective and Efficient 812 AirMax and 810 UltraAir Ecofan designs. If space is an issue the 815 Original Mini may be your best option.

**Sold with a 2 year Warranty**

*It is important to read and follow the instructions on the correct placement of the Ecofan to ensure satisfactory long term use and that your stove is working within the temperature range of 'best operation'. We recommend the use of our Stovetop Thermometer 14077; see page 86 for details.*

*Original 815 Mini Wood-Stove Ecofan*

The Caframo Original Mini Ecofan 815 is a heat-powered fan designed to circulate the warm air created by a wood-stove operating with normal surface temperatures of between 110°C and 345°C. The Original 815 Mini Ecofan generates up to 85\* Cubic Feet (of Air) per Minute. (At 115°C\* the Original Mini Ecofan 815 will move 50 CFM)

Dims: Base Plate W100 D75 (4x3"). H165 (6.5") from base to top of blade, excluding handle. Blade diameter 160mm (6.3")

\* Results determined by CFD simulations and prototype testing, to be verified with off-tool sampling. See [www.ecofan.co.uk](http://www.ecofan.co.uk) for latest information.

**Ecofan** ORIGINAL MINI

The Original 815 Mini was introduced into the range in 2018 as a low height option for use when the space between your stovetop and the underside of your inglenook precludes the use of other Ecofan options. All the quality and performance you've come to expect, in a smaller profile. At just 165mm tall, it's perfect for small spaces.

Which unit do you need? Unless space is an issue see page 73 for a list of benefits of the more Effective and Efficient 812 AirMax, 810 UltraAir or 800 Original Ecofan designs.

**Sold with a 2 year Warranty**



## BelAir 806 Low Temperature Stove Ecofan

The Caframo BelAir Ecofan 806 is a heat-powered fan designed to circulate the warm air created by many low temperature gas, pellet or contemporary stoves operating with normal surface temperatures of between 75°C and 200°C. The BelAir Ecofan generates up to 140 Cubic Feet (of Air) per Minute. (At 75°C it will move 50 CFM ). The BelAir Ecofan must not be used on a wood-stove or where the surface temperature exceeds 200°C .

Dims: Base Plate W162 D61 (6.4x2.4"). H241 (9.5") from base to top of blade. Blade diameter 232mm (9")



**BelAir  
Ecofan**

The BelAir 806 replaced the 806GS Ecofan in 2013.

The BelAir outperforms all other Ecofans in its operating range of 75 - 200°C but should never be used on a wood-stove.

**Sold with a  
2 year Warranty**

BelAir 806 Ecofan  
**E806BG**  
Black & Gold

BelAir 806 Ecofan  
**E806BN**  
Black & Nickel

BelAir 806 Ecofan  
**E806BB**  
All Black

## Spare Parts for Ecofans

Replacement Motor Kits are available for the Ecofans as detailed below. Unfortunately we are unable to offer for sale thermo-electric modules as their replacement is a controlled process involving strict torque settings. If you believe the module has failed you are welcome to send your Ecofan to CALFIRE who will quote you accordingly. Please note that we will only sell Ecofan spare parts for use on original Ecofans; not for any other purpose.

### Motor Replacement Kits

After much usage an Ecofan motor can wear out. Motor Replacement Kits are available for customers who wish to install a new motor rather than sending the old unit back to CALFIRE for repair, or purchasing a new Ecofan. The replacement task is straight forward; however on some older models the consumer must have the capability to solder the new motor to the existing wires. The replacement kit comprises a new motor, an Allen/hex key to remove the blade and full instructions.

\* To see how easy it is to change the motor on the 810 or 812 Ecofans view the video online at [www.ecofan.co.uk/videos.html](http://www.ecofan.co.uk/videos.html) or scan the QR code below with your smart-phone or tablet.



ES006



ES009



ES017

ES006 800 Original, 802 AirPlus or 806GS (Soldering & Push-On Type), 815 Original Mini  
ES009 810 UltraAir, 812 AirMax (Push-On Type Only)  
ES017 806 BelAir (2014 Model - Push-On Type Only)





# CALFIRE

# Ecofans

Calfire are the official  
UK Distributor for the  
Caframo Ecofan

## Caframo JOI Heat Powered LED Light

*The JOI Lamp transforms candle heat into LED light!*



### Candle Powered LED Lamp

The JOI Lamp uses the same thermoelectric technology as the Ecofan to transform the energy of a tea light candle into powerful LED lighting.

The JOI Lamp is able to convert the heat of the tea light candle into more than 100 times the light generated by the candle itself.

With its telescopic extendable lamp head, the JOI allows you to create an ambient glow on your table or direct light from 430mm (17") above the housing of the unit, and everything in between.

Manufactured from Stainless Steel the JOI Lamp is supplied with a 1 year warranty.



# Caframo

For more information visit:

[www.thermologi.com](http://www.thermologi.com)



JOI Heat Powered LED Lamp

J0001


Dims: W170 D170 H240/460 (6.8x6.8x9.5/18")



# CALFIRE

# Stove Bright® Paint

Calfire are the official UK  
Distributor for Forrest  
Paints Stove Bright

 **Stove Bright® Paint** - UK website [www.stovebright.co.uk](http://www.stovebright.co.uk)



**Colour Charts are available on request**

## Stove Bright® High Temperature Paint

Stove Bright High Temperature Paint is a high quality, fast drying, high temperature paint for use on wood stoves, pipes, boilers, furnaces, flue pipes, ovens, engines, manifolds, barbecues and cast iron chimineas etc. It can be used on any steel product with extreme surface temperatures up to 650°C and is ideal for touching up ceramic coals. Unique in offering 3 'blacks' and a range of over 30 colours, Stove Bright is used by many of the leading stove manufacturers as their factory finish.

### HTP AEROSOL CODES: 400ml

04001 FLAT BLACK  
04002 SATIN BLACK  
04003 CHARCOAL  
04004 METALLIC BLACK  
04005 METALLIC BROWN  
04006 GOLDENFIRE BROWN  
04007 HONEY-GLO BROWN  
04008 METALLIC MOSS GREEN  
04009 FORREST GREEN  
04010 REDWOOD  
04011 ALMOND  
04012 METALLIC BLUE  
04013 METALLIC GREY  
04014 MAUVE  
04015 GOLD  
04016 RUSSET  
04017 SAND  
04018 MOJAVE RED  
04019 SKY BLUE  
04020 SILVER (ALUMINIUM)  
04021 METALLIC MAHOGANY  
04022 BROWN BARK  
04023 PATRIOT BLUE  
04024 METALLIC RICH BROWN  
04025 METALLIC RED PRIMER  
04026 MED TEMP CLEAR  
04027 COPPER  
04028 GREEN ILLUSION  
04029 TERRA COTTA  
04030 SHIMMERING ROSE  
04031 SUNSET  
04032 SURF SAND  
04033 PEWTER  
04034 EMERALD GREEN  
04036 ADOBE TAN  
04037 LEATHER BROWN  
04038 NEW BRONZE

### HTP 236ml (½ US Pint)

#### TOUCH-UP CODES:

05101 FLAT BLACK  
05102 SATIN BLACK  
05103 METALLIC BLACK

## Stove Bright® Gas Vent Pipe Paint

Stove Bright Gas Vent Pipe Paint can be used on Double Wall Flue Pipe to match Vitreous Enamel Finishes. This is a high gloss coating capable of withstanding surface temperatures to 120°C. It is fast drying and easy to apply.

### GAS VENT PIPE PAINT AEROSOL CODE: 400ml

04101 BLACK EBONY

**CALFIRE**  
The Fireside Collection

**Contact our Sales Office  
on 01691-772922 for details  
of Stove Bright Ready to Use'  
availability.**

## Aerosol Can Gun



Firmly snaps onto  
aerosol to provide  
greater and more  
comfortable spray  
control

04051  
AEROSOL CAN GUN

**NEW**  
2017



## Coal Paint

Rejuvenating or  
adding a decorative  
finish to ceramic  
coals.  
Fast drying.

04039  
COAL PAINT  
400ml



# CALFIRE

# Stove Glass & Mica

## Stove Glass Panels, Strips & Mica



### CALFIRE STOCK SIZES FOR ALL POPULAR STOVE MANUFACTURERS


#### Panels

Calfire Panels are manufactured from the finest quality Schott Robax® zero thermal expansion rated ceramic glass. Sizes are available from stock for all leading stoves and our in-house cutting facility means any size and shape can be quickly supplied to order.



#### Strips

Replacement Strips are supplied from the highest quality flat borofloat sheet. Calfire have Strips to suit the majority of stoves on the market and can supply specials with a rapid response guaranteed.



#### Mica

Ready cut stove panels and standard sheets are available



**We recommend  
when replacing new  
glass panels to also  
replace the thermal  
rope seal.**

**Please refer to pages  
79-80**



Glass panels, glass strips and mica are supplied skin packed to display on euro-hooks. All size information provided in good faith, please ensure correct requirements are specified.

Please contact us for prices on any special sizes. See Stove Glass & Mica Price List for details.



# CALFIRE Stove Glass Rope

## Panel Replacement Accessories

*Calfire thermal rope seal is fitted to stove and oven doors to provide an air tight seal.  
Secure with Calfire Super Seal.*

### WHITE THERMAL ROPE SEAL

*Supplied in 2 metre packs or 25 metre rolls with thicknesses ranging from 3mm to 25mm. Please note that 2 metre packs with an 'S' suffix include a 30ml Calfire Superseal & strip of end sealing tape.*



### SOFT BLACK THERMAL ROPE SEAL

*Supplied in 2 metre packs or 25 metre rolls with thicknesses ranging from 6mm to 14mm. Please note that 2 metre packs with an 'S' suffix include a 30ml Calfire Superseal & strip of end sealing tape.*



### BLACK THERMAL ROPE SEAL

*Supplied in 2 metre packs or 25 metre rolls with thicknesses ranging from 6mm to 12mm. Please note that 2 metre packs with an 'S' suffix include a 30ml Calfire Superseal & strip of end sealing tape.*



	3mm	6mm	8mm	9mm	10mm	12mm	14mm	15mm	18mm	25mm
White 2M Pack	10002S	10006S	10010S	N/A	10014S	10018S	N/A	10022S	10026	10030
White 10M Pack	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10032
White 25M Roll	10004	10008	10012	N/A	10016	10020	N/A	10024	10028	10033
Black 2M Pack	N/A	10035S	10039S	10058S	10043S	10047S	N/A	N/A	N/A	N/A
Black 25M Roll	N/A	10037	10041	10059	10045	10049	N/A	N/A	N/A	N/A
Black Soft 2M Pack	N/A	10050S	10052S	N/A	10054S	10056S	10061S	N/A	N/A	N/A
Black Soft 25M Roll	N/A	10051	10053	N/A	10055	10057	10060	N/A	N/A	N/A

PART NUMBERS WITH AN 'S' SUFFIX INCLUDE 30ml CALFIRE SUPERSEAL & STRIP OF END SEALING TAPE

*A high temperature adhesive that withstands very high temperatures and is used to secure thermal rope/tape and ceramic fibre seal*

### CALFIRE SUPERSEAL

13001 30ml  
13002 100ml  
13003 500ml



*Tape which prevents thermal rope ends fraying*



### QUICK RELEASE THERMAL ROPE END SEALING TAPE

10603 White 10604 Black  
25mm x 10M Roll.



### THERMAL ROPE END SEALING TAPE

10601 White  
10602 Black  
25mm x 10M Roll.



## Panel Replacement Accessories

*Calfire thermal rope seal is fitted to stove and oven doors to provide an air tight seal.  
Secure with Calfire Super Seal.*



### WHITE THERMAL TAPE

*Calfire thermal tape has many uses on a wide range of heating appliances. Secure with Calfire Superseal.*

**10510** - 40mm x 2mm x 2 metres

**10512** - 40mm x 2mm x 25 metres



### WHITE ADHESIVE THERMAL TAPE

*Calfire thermal tape has many uses on a wide range of heating appliances and is self adhesive.*

**10518** - 15mm x 2mm x 2 metre reel

**10520** - 15mm x 2mm x 25 metre reel

**10526** - 25mm x 2mm x 2 metre reel

**10528** - 25mm x 2mm x 25 metre reel



### WHITE THERMAL LADDER TAPE

*Calfire ladder tape is used for protecting the edges of glass panels.*

**10562** - 25mm x 3mm x 2 metres

**10564** - 25mm x 3mm x 25 metres



### BLACK ADHESIVE THERMAL TAPE

*Calfire thermal tape has many uses on a wide range of heating appliances and is self adhesive.*

**10542** - 10mm x 2mm x 2 metre reel

**10544** - 10mm x 2mm x 25 metre reel

**10546** - 15mm x 2mm x 2 metre reel

**10548** - 15mm x 2mm x 25 metre reel



### BLACK ADHESIVE THERMAL LADDER TAPE

*Calfire ladder tape is used for protecting the edges of glass panels. This is an alternative to the ceramic Channelling Calfire sold for many years.*

**10565** - 17mm x 2mm x 2 metres

**10566** - 17mm x 2mm x 25 metres



### BLACK OVER BRAID THERMAL ROPE

*Calfire over braid thermal rope is fitted to stove doors for an airtight seal. Secure with Calfire Superseal.*

**10063S** - 13mm x 2 metres

**10062** - 13mm x 25 metres

**10064** - 10mm x 3 metres



### BLACK P SECTION BEAD

*Calfire P section bead is used to create an airtight stove glass seal on specific stoves.*

**10567** - 10mm x 15mm tail x 0.5 metres



### CERAMIC FIBRE SEAL

*This is used on many stoves to provide an air tight seal to the stove glass panels. Secure with Calfire SuperSeal.*

**14028** - 6mm x 4mm x 10 metres

**14031** - 10mm x 4mm x 10 metres






## Glass Hearths

Quality British Made Glass Hearthplate manufactured in 12mm toughened float glass and supplied with polished edges.

Glass Hearthplates are just as much a feature in the room as the stove itself. Compliment your woodburner or electric stove with a fashionable quality British Manufactured product. Easy to clean and Heat Resistant floor covering.

Typical shape requirements:


Square Glass  
Hearthplate




Rectangular  
Glass Hearthplate




'D' Shaped  
Glass Hearthplate




Circular Glass  
Hearthplate



Truncated  
Circular Glass  
Hearthplate




Teardrop Glass  
Hearthplate



All Glass Hearth Sales are  
Bespoke so please contact  
Calfire with your requirements  
for a quote today.

We can cut and colour any size  
of hearthplate; all we need is the  
measurements and RAL number.





## Mini EuroCowl Static Anti-Downdraught Cowl

Designed to cure smoky fireplaces. Prevents down-draughts by creating a positive airflow whatever the wind direction. Fits flue sizes 125mm to 250mm internal diameter. Also prevents birds, vermin and rain entry. Suitable for all fuels. Supplied fully assembled and ready to fit. Maintenance: High dome allows for effective sweeping in situ. Approvals: BS/EN 1856-1 2009.



Mini EuroCowl Terracotta  
14087 Stainless Steel



Mini EuroCowl Natural  
14089 Stainless Steel



Mini EuroCowl Black  
14090 Stainless Steel

### MAD Junior Cowl Stainless Steel

Durable stainless steel anti down draft chimney cowl suitable for all fuel types. This competitively priced high quality anti down draught chimney cowl allows for a quick installation. The aerodynamic shape of the junior cowl reduces problems caused by down draught whilst also minimising rain entry. Sold Fully assembled ready to fit. No special tools required when fitting. Junior Stainless steel is suitable for use with coal, wood, gas, smokeless fuel and oil. Includes Mesh Birdguard which will need to be removed for solid fuel applications. Will fit chimney pots up to 275mm. Test certified to BSEN 1856-1:20003. Available in Natural, Terracotta and Black. Stainless steel hose clip strap fixing kit included.

MAD  
Junior Cowl  
S.STEEL  
14122  
Black



MAD  
Junior Cowl  
S.STEEL  
14121  
Terracotta



MAD  
Junior Cowl  
S.STEEL  
14120  
Natural



### MAD Rain Cowl Stainless Steel

The all stainless steel rain cowl is designed to prevent unwanted bird and animal entry, and to reduce the potential of clogging caused by soot or debris. The tall construction and domed lid allows a sweeping brush to get right into the cowl, whilst the stainless steel construction allows for a longer lasting birdguard. Suitable for chimney pots up to 250mm. Prevents birds and helps minimise rain entry. Available in Natural, Terracotta and Black. Stainless steel hose clip strap included.

MAD  
Rain Cowl  
S.STEEL  
14125  
Black



MAD  
Rain Cowl  
S.STEEL  
14124  
Terracotta



MAD  
Rain Cowl  
S.STEEL  
14123  
Natural



### MAD Junior Birdguard, Stainless Steel

The nuisance caused by birds, small animals and debris can be negated by fitting this cowl. Suitable for coal, wood, smokeless fuel and oil. Made completely from stainless steel allows for an extended working life of the product. Suitable for chimney pots up to 250mm. Available in Terracotta. Prevents birds and helps minimise rain entry. Stainless steel hose clip strap included.



MAD Junior Birdguard, SS  
14126 Terracotta





# CALFIRE

# Service & Installation

## Fire Cements & Compounds



### Mouldable Firebrick

For quick and economical repairs or replacements for firebricks in any heating appliance, stove, open fire, wood burner etc. Tested to 1600°C

12021 5Kg.



### Premium Fire Cement

A range of premium ready mixed fire cement. Ideal for patching and repairs to firebricks, fireplaces, solid fuel ovens, boilers and central heating systems.

Tested to 1250°C

BUFF: BLACK:  
12001 500g 12008  
12002 1Kg 12009  
12003 2Kg 12010  
12025 5Kg 12026

BLACK CARTRIDGE  
12007 310ml



### C H System Inhibitor

Central Heating System Inhibitor is a multi-purpose treatment, specially designed to protect the entire central heating system from scale, sludge and corrosion.

13026 1L

## CALFIRE

The Fireside Collection



### Heat Resistant Tile Adhesive

Ready-mixed adhesive for fixing tiles in areas subject to high temperatures, such as fire surrounds, behind boilers, cookers and radiators. Resistant to 1000°C.

12023 310ml CARTRIDGE



### Heat Resistant Sealant

A ready mixed high temperature sealing and caulking paste for use in fixing and jointing as well as for fire protection. Will withstand up to 1250°C.

BEIGE:  
12027 310ml Cartridge



### Heat Resistant Silicone 300C

Providing excellent adhesion to most building materials this product is specifically designed and recommended for high temperature applications up to 300°C.

BLACK:  
12024 310ml Cartridge



### Heat Resistant Silicone 1200C

High performance permanently flexible silicone sealant for all high temperature requirements. Heat resistant to 1200°C, does not harden or crack like fire cement. **This product should not be used near naked flames or hot gases.**

BLACK:  
12028 310ml Cartridge

## Gas Fire Spares - Ceramics



GAS EMBER PACK  
14113 250g



MOULDED  
COALS SMALL  
14049 (BAG15)  
14047 SINGLE



MOULDED  
COALS LARGE  
14050 (BAG10)  
14048 SINGLE



RIPPED  
COALS SMALL  
14043 (BAG15)  
14041 SINGLE



RIPPED  
COALS LARGE  
14044 (BAG10)  
14042 SINGLE



## Wall Vents

## Heat Resistant Gloves



5" CORE DRILL  
WALL VENT  
**14112**

- \* Brown External Cowl
- \* 127mm (5") Diameter.
- \* 350mm (14") Tube Length
- \* Free Area cm<sup>2</sup> - 70 with baffle, 100 without baffle
- \* Rated Input - Max 21kW (71,500 Btu/h) with baffle
- \* Anti-draught baffle supplied which reduces the 'Effective Free Area'



HEAT RESISTANT GLOVES  
**14080**

Red Lined Gauntlet. Category 2 - Intermediate design.  
Manufactured to EN388 & EN407



3 1/4" CORE DRILL  
WALL VENT  
**14159**

- \* Brown External Cowl
- \* 82mm (3 1/4") Diameter.
- \* 350mm Tube Length
- \* Free Area cm<sup>2</sup> - 40
- \* Rated Input - Max 15kW (51,000 Btu/h)
- \* Not suitable for gas appliances

## Smoke Products & CO Detector



SMOKE PEN

14118 SMOKE PEN WITH 3 SMOKE STICKS



14119 SMOKE STICK REFILL PACK3



CO DETECTOR

14070 SINGLE PACK



CAL-VENT DRAUGHT EXCLUDER  
**14160**

The air vent is designed to reduce, or even eliminate, the draught these vents cause when the fire is not lit. A must in homes exposed to strong winds or turbulent air. Can be retro fitted to a 4" or 5" existing hole easily.



SMOKE MATCHES  
14001 CLASSIC  
(BOX12)

SMOKE PELLETS

14002 13g (TUBE6) 14061 5g (TUBE6)  
14064 13g (TUB50) 14062 5g (TUB50)  
14065 13g (TUB100) 14063 5g (TUB100)

See price list for full details



## Digital Moisture Meter



**14116 CALFIRE DIGITAL MOISTURE METER**  
(80x40X20mm) (3.1x1.6x0.75")

This instrument can be used to measure the moisture level in sawn timber and hardened materials such as mortar, concrete and plaster as well as the environmental temperature. Small enough to comfortably slip into your pocket the backlight turns off automatically after around 15 seconds to conserve the supplied batteries. With a wood measurement range of 6 – 42% and an accuracy of +/- 2%, this unit is ideal for checking your wood is well seasoned at the recommended level of around 20%.

## FiAir Air Blower



**14129 FiAir AIR BLOWER**

The FiAir is a hand held battery powered fan used to speed up the blaze of your open fire, stove or barbeque. Now a cozy fireside is just two minutes away as the FiAir kindles wood to a robust blaze in two minutes or less and keeps it that way with a few well-placed bursts of life-giving air each time you add more fuel. This compact, portable, hand-held device uses 3 x AAA batteries (not included)

For more information visit [www.fiair.net](http://www.fiair.net)

## Stove Thermometers



**CALFIRE MAGNETIC STOVEPIPE THERMOMETER 14024**  
Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that attaches to your stove pipe. If your stove is too cold then creosote deposits will form, if its too hot then you are wasting both energy and money.

The CALFIRE Stovepipe Thermometer is NOT designed or calibrated for the hotter surfaces of your stovetop.



**MAGNETIC STOVETOP THERMOMETER 14077**  
Dia.63 (2.5")

Ensure your stove is operating at the correct temperature by using this magnetic thermometer that sits on your stovetop. If your stove is too cold then creosote deposits will form, if its too hot then you are wasting both energy and money. The white area shows the optimal stove operating temperature. This unit is not calibrated for use on your Stovepipe.

## Karcher Ash Filter

Consisting of 20L container, 1M flexible metal suction hose and 1M metal suction tube (230 mm).

When connected to a vacuum cleaner the Karcher Ash Filter provides trouble-free cleaning of fireplaces, wood-burning stoves, barbecues & sauna ovens. Also suitable for picking up coarse dirt and debris, e.g. sand or sawdust. Suitable for use with most domestic vacuum cleaners, however you must use a wet & dry machine if you want to pick up wet leaves etc...



**14081 KARCHER ASH FILTER**

## Carbon Monoxide Alarms

**Defend against the Silent Killer. No smell, No taste and No colour.** It is for these reasons that CO detectors are the only way to alert you to increasingly dangerous levels of Carbon Monoxide.

**Effects of CO:** Exposure to high levels of carbon monoxide (CO) can be fatal or cause permanent damage and disabilities. Many cases of reported carbon monoxide poisoning indicate that whilst victims are aware they are not well, they become so disorientated that they are unable to save themselves by either exiting the building, or calling for assistance. Young children and household pets may be the first victims.

**Possible sources of CO include:** Faulty Boilers - Gas Ranges/Stoves - Water Heaters - Portable Fuel Burning Heaters - Fireplaces - Wood-Burning Stoves - Blocked Chimneys or Flues - Vehicles and other combustion engines running in an attached garage could also be the source of CO



**14082 SLEEPSAFE SEALED BATTERY CO ALARM COA2**

Certified to EN50291-1:2010 - Sealed for life battery - Loud audio alert - 3 LED visual readouts - Test / Silent button - Portable, free standing or mountable - 6 year operating life.



## Chimney Rods & Brushes

Soft bristle brush with protected end boss and Whitworth 1/2" male end screw fitting. Designed for sweeping insulated metal chimneys and flexible flue liners with our flexible rods where greater flexibility is needed to cope with bends. This can be used with the 1/2 inch to 3/4 inch connector.

**SOFT BRISTLE BRUSH**  
**14133** 5"/125mm Brush White  
**14134** 6"/150mm Brush White

Affordable flexible rods made in Britain using "Superflexy" 12mm diameter rod for added strength and durability. The rods have a high quality brass screw end with 1/2" Whitworth screw fitting featuring chamfered edges to minimise risk of damaging any flexible liners.



**FLEXIBLE RODS**  
**14135** 1 Metre Rod  
**14136** 2 Metre Rod



**BRASS ROD ADAPTOR**  
**14137**  
 1/2" Whitworth to Universal 3/4"

## Vermiculite Boards

Board made from Exfoliated Vermiculite and has a high temperature resistance suitable for hotface applications up to 1100°C. The boards are easily cut to size with woodworking tools, the linings contain no ceramic or Asbestos fibres are non-dusting, non-irritant and odourless.



**PLAIN**  
**14138**  
 H1020 W620 D25



**REEDED**  
**14165**  
 H1020 W620 D20

## Flue Brushes



**FLUE BRUSHES:**

**14008** L3'Dia.2"(915x50mm) GUMATI  
**14010** L3'Dia.4"(915x100mm) GUMATI  
**14011** L4'Dia.4"(1220x100mm) GUMATI  
**14012** L5'Dia.4"(1525x100mm) GUMATI

## Vermiculite Fire Bricks



**Vermiculite Coal Saver Fire Brick Sets:**

All Sides measure W170 H150mm (6.75x6")  
 Small Back measures W200 H150mm (8x6")  
 Large Back measures W260 H150 (10x6")

**14163** SMALL - FITS 16" GRATE

**14164** LARGE - FITS 18" GRATE



Fire bricks made from vermiculite board.

**14161** PLAIN 230x114x25mm (9x4.5x1")  
**14162** PLAIN 230x114x30mm (9x1.5x1.25")



## Firelighters

### Tiger Tim - Firelighters & Firelog



**Single individually wrapped firelog that burns for up to 3 hours.** The easy and convenient way to achieve a real fire, just light the wrapper. Produced with reconstituted wood and wax.

14169 FIRELOG



**Single block multi-purpose firelighter.** Suitable for use in smokeless zones for domestic solid fuel appliances, including multi-fuel stoves. Produced with highest grade kerosene jet fuel with added peat. The block can be separated into 16 individual firelighters.

14166 SINGLE BLOCK FIRELIGHTER



**Simple and hygienic to use, just light the foil.** Suitable for use in smokeless zones for domestic solid fuel appliances, including multi-fuel stoves. Produced with highest grade kerosene jet fuel. 18 firelighters in the box.

14167 INDIVIDUALLY WRAPPED FIRELIGHTERS



**Unique in the UK, simple and hygienic to use, just light the wrapper.** Suitable for use in smokeless zones for domestic solid fuel appliances, including multi-fuel stoves and BBQ's. Produced with highest grade, odourless kerosene fuel. 50 firelighters in the box.

14168 INDIVIDUAL SACHET FIRELIGHTERS

### Strikeable Firestarters

**The 2 in 1 Safety match and Firestarter.** Ideal for Stoves, Open fires, BBQ's and Chimineas. Burning time over 10 Minutes, clean to use.



Pack quantity 20

14143 FIRESTARTERS

**CALFIRE**  
The Fireside Collection

### Surefire Turbo Firestarter

This Eco Friendly aromatic fire starter has been specially formulated with the user in mind. It can be used above or below your grate.

The fire starter burns up to **15 minutes** and has a flame over **300mm high** which will warm the flue pipe up faster.



14153  
TURBO FIRE STARTER

### Fire Starter Kit & Flamers

14158  
FIRE STARTER KIT



The Perfect starter kit for your customer. Kit contains Kiln dried (25cm) logs, Kiln Dried Kindling, Flamers natural firelighters (3 pack) and a handy box of matches.

Box dimensions: 38.4cm x 29cm x 22.5cm high

Flamers firelighters contain natural wood shavings and fully refined paraffin wax. Natural, odourless, easy to light and have a long burn.



14155 FLAMERS 24 PACK  
14156 FLAMERS 50 PACK  
14157 FLAMERS 200 PACK



# CALFIRE

# Cleaning & Restoration

## Cleaning & Restoration Products



A blend of detergents and solvents in a foaming aerosol formula, which removes grease and dirt from all types of surfaces with its amazing cleaning power.

PEEK SPRAY-AWAY  
**13603**  
400ml aerosol

## Peek\*




PEEK CREAM POLISH - 250ml tin  
**13601**



PEEK CREAM POLISH - 100ml tube  
**13600**

Developed for professionals and demanded by those who have tried it, Peek is a 4-in-1 cleaner that cleans, polishes, restores and protects 38 surfaces including brass, copper, stainless steel, silver, gold, chrome, fibreglass, ceramics, glass, acrylics and painted surfaces. When The Royal Yacht Britannia was in service everything on board, from the Royal George Binnacle to each piece of silver, was kept in pristine condition by the Yachtsmen using Peek Polish. This resulted in the products manufacturer being awarded the Royal Warrant in 2005.

## SCHOTT ROBAX®



A dry glass cleaner specifically developed by Schott Robax® for cleaning glass ceramic panels.

DRY WIPER  
**13605**

## CALFIRE



STOVE GLASS  
BRUSH-ON  
CLEANING GEL  
**13028** 250ml  
Removes the toughest  
tar, soot and creosote  
stains from stove  
window glass.



STOVE  
GLASS  
CLEANER  
**13009** 500ml  
Removes the toughest  
tar, soot and creosote  
stains from stove  
window glass



SPRAY ON  
STOVE GLASS  
CLEANER  
**13011** 500ml  
Removes the toughest  
tar, soot and creosote  
stains from stove  
window glass.



V. ENAMEL  
CLEANER  
**13007** 500ml  
Removes the toughest  
burnt on stains from  
vitreous enamelled  
surfaces.



FIREPLACE  
CLEANER  
**13012** 500ml  
Removes stains from  
Stone, Brick and  
Concrete.



SLATE  
SHEEN  
**13017** 500ml  
Seals and protects slate,  
enhancing its natural  
beauty, repelling dirt and  
water whilst allowing the  
slate to breathe



COAL  
PAINT  
**04039** 400ml  
Rejuvenating or  
adding a decorative  
finish to ceramic coals.  
Fast drying.



# CALFIRE

# Cleaning & Restoration

## Cleaning & Restoration Products

### HOTSPOT



*A water based graphite polish suitable for wood/coal stoves, grates and surrounds.*

**BLACK STOVE & GRATE POLISH**  
**13504** 170g



*A very effective polish for use on copper, brass, nickel, pewter, chrome and gold. Multi-use metal polish gives a cleaner, more protective, longer lasting shine.*

**MULTI-USE METAL POLISH**  
**13512** 150ml tube



*A water based graphite polish suitable for wood/coal stoves, grates and surrounds.*

**BLACK STOVE & GRATE POLISH**  
**13503** 75ml tube



*A foaming formula that will stick to vertical surfaces to dissolve smoke stains and tar/creosote deposits.*

**GLASS CLEANER**  
**13506** 320ml aerosol



*This cleaner clings to vertical surfaces to dissolve smoke stains and tar/creosote deposits.*

**GLASS CLEANER**  
**13517** 750ml spray



*Uses an oxygen based bleaching action to remove smoke, soot and tar stains from stone, concrete, marble and other hard surfaces.*

**FIREPLACE CLEANER**  
**13510** 500ml



*A special formulation that makes the surface of natural brick and stone strongly repellent to oil, water dirt and dust.*

**BRICK & STONE SEALER**  
**13511** 500ml

*New Improved Product*



*Seals and protects slate, enhancing its natural beauty, repelling dirt and water whilst allowing the slate to breathe.*

**SLATE OIL**  
**13515** 100ml



*Developed in Italy, this product is for polishing worn and dull marble surfaces. (non abrasive)*

**ITALIAN MARBLE POLISH**  
**13513** 200ml



*An ultra high temperature paint specially formulated for applying a decorative finish to new, or for rejuvenating old, ceramic coals used in gas fires. Coal Paint is colour fast to 650°C.*

**COAL PAINT**  
**13516** 300ml

*New Improved Product*



*Flue Free helps to maintain clean chimneys for maximum efficiency, lower fuel costs and a reduced risk of fire. Now non corrosive to stainless steel.*

**FLUE FREE CHIMNEY CLEANER**  
**13500** 750g



Welcome to the

# CALFIRE FIRESIDE COLLECTION.

CALFIRE is a long established family group of companies with a strong reputation for quality products and service throughout the heating and fireplace industry. Friendly and approachable, CALFIRE prides itself on customer service.

In November 2010 CALFIRE took over the supply and distribution of the exceptional Kingsworthy Foundry range of fireside accessories for log and coal burning fires. As a result CALFIRE now offer the most comprehensive range of quality cast iron firebacks, firebaskets, swansnest baskets, ducksnest baskets, firedogs and reeded panels together with superb quality British Made steel firebaskets and blacksmith produced firedogs.

CALFIRE are unique within the fireplace and heating industry with their extensive product related ranges. In addition to offering a most comprehensive selection of Fireside Accessories they are also:

- ✎ The official UK distributor for StoveBright® High-Temperature Paint, selling the product in aerosol and touch-up forms to retailers as well as in bulk liquid form to many of the leading UK traditional Woodburning Stove Manufacturers. Visit the UK specific StoveBright® website at [www.stovebright.co.uk](http://www.stovebright.co.uk) for full information.
- ✎ The official UK distributor for Ecofans®. These products sit on the top of woodburning stoves and assist in distributing the stoves heat without using mains or battery power. Improved warm air circulation results in greater comfort and less fuel consumption. Ecofans® are a great favourite with the countries many Narrow Boat enthusiasts. Visit the UK specific Ecofan® website at [www.ecofan.co.uk](http://www.ecofan.co.uk) for full information.
- ✎ A major supplier of Replacement Stove Glass offering Schott Robax Ceramic Glass panels, Borofloat Strips as well as Mica. All popular sizes are available 'off the shelf' with in house facilities available for cutting your special requirements.

## Terms & Conditions of Sale

### 1 GENERAL

These conditions shall apply to all of our quotations and all contracts, and orders for the sale of goods accepted by us. Any other terms, conditions, warranties or representations, whether made prior to collateral with, or subsequent to the contract or order, are hereby excluded. Special or additional terms of the purchaser contained in his order or otherwise shall be of no effect unless the same be separately brought to our notice and express consent thereto is given in our written acceptance.

### 2 DOCUMENTS

a) All literature, illustrations, drawings, specifications, weights, measure, technical data, estimates of performance that we supply have been prepared by the Manufacturers of the goods and accordingly we cannot accept any liability for any inaccuracy, omission, variation of any kind or for any loss howsoever caused arising out of the supply of such and they shall not form part of any contract or be binding in any way.

b) We reserve the right at any time to correct clerical or technical errors in the contract documents.

c) The purchaser shall furnish us with all necessary specifications with the order. We take no responsibility for goods manufactured, price, or delivery not in accordance with the order or the specification or any requirements of any Government or other inspecting authority. It is the purchaser's duty to check that any technical information supplied by us and any particulars included in our acknowledgment confirming those specifications are correctly set out.

### 3 PRICES

Quotations only refer to goods and articles specified therein and available at the time of quotation. All selling prices contained in the quotation are ex-works except where expressly altered within the quotation, are net and exclude VAT and are those ruling at the date of quotation. They are provisional only and are subject to revision by us at any time without notice before the goods are despatched to take into account of subsequent variations in the cost of materials, labour, awards or increases in overhead cost. Prices may also be revised where the purchaser calls down quantities smaller than those specified in his order. The purchaser shall pay the price as so revised. VAT shall be charged at the appropriate rate in force at the time of invoicing.

### 4 TERMS OF PAYMENT

a) Unless otherwise stipulated on our invoice, all accounts are strictly net monthly account.

b) Where the contract is to be or may be fulfilled in separate installments, deliveries or parts, payment for such installment, delivery or part shall be made under sub-clause (a) hereof as if the same constituted a separate contract.

c) Should the purchaser fail punctually with the terms of payment, we shall be entitled to charge interest on any overdue account at the rate of 2½% over and above the Midland Bank Base rate charged per month.

### 5 TITLE

a) Title to the product shall not pass to the purchaser until payment has been received in full by us of (i) the price thereof and (ii) all other sums owing to us.

b) Until payment of all such sums, the purchaser shall hold the products as agent for us and shall store them on his premises separately from his own goods or those of any other person and in a manner, which makes them readily identifiable as our goods.

c) The purchaser may sell the goods as agent and bailee for us, but as against any third party the sale by the purchaser shall be as in principal such of the proceeds of any sale as is equal to the price to the purchaser of the goods shall be held in trust for us and shall not be mingled with any other monies or paid into an overdrawn bank account and shall at all times be identifiable as our money.

d) If the goods are admitted, consumed, converted or otherwise become constituents of other goods the property of the purchaser before payment has been received by us and before title to the goods has passed to the purchaser, the goods, including all of any such other goods, shall be the property of us and the purchaser declares itself a trustee of such goods for us until such payment is made in full to us and the purchaser shall hold such goods and the entire proceeds of sale and any rights arising from the sale thereof as trustee for us.

e) If at any time before title of the goods shall have passed to the purchaser we may, for the purpose of recovery of the goods, enter upon any premises where the goods are stored, or where they are reasonably thought to be stored, and may repossess them and the purchaser grants us such licences as may be necessary for the purpose of entry to any premises of the purchaser.

### 6 TIME OF DESPATCH

All periods for despatch and delivery expressed in the contract are approximate only. We use all reasonable endeavours to effect despatches within the stipulated period, or if no such period be stipulated, within a reasonable amount of time. However, we shall be under no liability for any loss or damage to the purchaser or others arising directly or indirectly out of late despatch or delivery, whether due to our default or not, nor shall such late despatch or delivery be deemed to be breach of contract, nor entitle the purchaser to cancel the contract.

### 7 DELIVERY

a) When delivery is effected on our vehicles or by an independent contractor arranged by us, the purchaser having had prior notification, shall be bound to accept delivery of the goods on arrival at his works, when sole risk in the goods shall pass to the purchaser. Where payment in full has not been received the purchaser as agents shall, on delivery, insure and keep fully insured the goods against all and every risk, including specifically but without prejudice to the generality of the foregoing damage by the purchaser or third parties, fires, explosion, aircraft, theft, tempest and flood; and the purchaser shall also be responsible for the maintenance and care of the goods and, in addition to indemnifying us against any depreciation in the value of the goods, shall also indemnify us against any damage caused to the goods should payment in full not be made.

b) The purchaser to notify us and the carrier in writing (otherwise than upon the carrier's documents), of any damage in transit, mis-delivery, or quantity discrepancy immediately on arrival. The purchaser must notify us and their carrier in writing (otherwise than on the carrier's documents) of any non-delivery within 5 working days where delivery is effected through the post, by road or British Rail, and 2 working days where delivery is effected on our own vehicles; in all cases from the date of despatch advised to the purchaser.

c) Where delivery is effected on the purchaser's vehicle or is arranged by him, risk in the goods shall pass to the purchaser on delivery to the carrier, whether he be the purchaser's servant or agent or an independent contractor arranged by the purchaser.

d) Without prejudice to our other rights, should the purchaser for any reason fail to accept delivery of the goods on arrival (prior notification having been made) then, at the entire risk and expenses of the purchaser, we shall be entitled to store the goods and/or to procure or effect storage of goods elsewhere and we shall further be entitled to be paid by the purchaser for the cost of re-delivery and storage of goods.

e) To stop any delivery (prior notification having been made) the purchaser must give in writing 7 working days notice.

### 8 RETURNED GOODS

We cannot accept the return of goods already delivered to the purchaser otherwise than pursuant to clause 7 (c) hereof or by special arrangement, and then subject to the appropriate restocking charge which shall not be less than 10% of the net invoice value.

### 9 INDEMNITY

The purchaser shall indemnify us against all actions, claims, demands, penalties and cost by third parties in tort, or for infringement or alleged infringements of patents or registered designs or otherwise arising in connection with the goods or their delivery or unloading or with work done by us in accordance with the purchasers specifications.

### 10 EXCLUSION OF LIABILITY

We are hereby expressly excluded from any liability howsoever arising in respect of any express of implied condition, statement, representation or warranty, statutory or otherwise relating to any goods supplied by us. However, without prejudice to the foregoing, we are prepared to assist in the execution of any Manufacturer's warranties and guarantees.

### 11 INSOLVENCY

If the purchaser shall make default in, or commit any breach of, any of his obligations to us (whether under this agreement or otherwise), or wrongfully stop payment of any debt, or is deemed to be unable to pay its debts within the meaning of such Insolvency Act as shall be current at the date of the contract, and if any distress or execution should be levied upon the purchaser, his property or assets, or if the purchaser shall make or offer to make any arrangements or composition with creditors to commit any act of bankruptcy, or if any petition or receiving order in bankruptcy shall be presented or made against the purchaser, or if the purchaser shall be a limited company and any resolution or petition to wind up such company's business shall be passed or presented (otherwise than for reconstruction or amalgamation only), or if a receiver of such company's undertaking property or assets or any part thereof shall be appointed then in any such case we shall have the right forthwith to determine the contract in whole or in part by notice in writing to the purchaser and repossess any of the goods of which title has not passed to the purchaser pursuant to condition 5 hereof.

### 12 MISCELLANEOUS

a) The granting of this, or the neglect or forbearance on the part of us in enforcing any of these conditions, shall neither be nor be deemed to be, a waiver or in any way prejudice any right of us under these conditions.

b) If any term, paragraph or provision of these conditions shall be held to be invalid or unenforceable for whatever reason, such invalidity or unenforceability shall not affect the operation of any other term, paragraph or provision.

c) This contract applies to further purchases that the purchaser makes and shall be govern in accordance with the laws of England and we and the purchaser both submit to the jurisdiction of the English courts.

e) If any part of this contract shall be rendered invalid by operation of law then, to the extent allowed by law, the remainder of this contract shall remain in force and such part of this contract as has been rendered inoperable shall be deemed to be replaced by a clause of similar nature and effect but to the extent allowed by law.



**CALFIRE SPARELINE LIMITED**  
GLEDRID. CHIRK. WREXHAM. LL14 5DG. UK

EMAIL: *sales@calfire.com*  
URLS: *www.calfire.com*  
*www.ecofan.co.uk*  
*www.stovebright.co.uk*  
TEL: *01691 772922*  
FAX: *01691 773552*

*A member of the CALFIRE GROUP of companies*